# Journal of Applied Polymer Science

## Author Index—Volume 81


**Abbasi, F.**
—; Shojaei, A.; Katbab, A. A.· Thermal Interaction between Polymer-Based Composite Friction Materials and Counterfaces, 364
**Abdel Ghani, S. A.** See Abu-Abdeen, M., 3169
**Abhiraman, A. S.** See Sura, R. K., 2305
**Abraham, D.**
—; Jyotsna, T. S.; Subramanyam, S. V.: Polymerization of Pyrrole and Processing of the Resulting Polypyrrole as Blends with Plasticised PVC, 1544
**Abthagir, P. S.**
—; Saraswathi, R.: Junction Properties of Metal/Polypyrrole Schottky Barriers, 2127
**Abu-Abdeen, M.**
—; Degradation of the Mechanical Properties of Composite Vulcanizates Loaded With Paraffin Wax, 2265
—; Abdel Ghani, S. A.: Swelling and Electrical Properties of Rubber Vulcanizates Loaded with Paraffin Wax, 3169
**Abubakar, A.** See Rozman, H. D., 1333
**Acar, N.**
—; Synthesis and Swelling Characteristics of Poly(4-vinylpyridine) Gels Crosslinked by Irradiation, 2609
**Achary, P. S.**
—; Gouri, C.; Ramaswamy, R.: Reactive Bonding of Natural Rubber to Metal by a Nitrile–Phenolic Adhesive, 2597
**Ahmad, S. H.** See Badri, K. H., 384
**Ahn, Y.-C.**
—; Effects of Carboxylic Additives on the Polymerization Characteristics of Nylon-6 Reactors with Diffusional Water Removal, 1226
**Akimoto, H.**
—; Kanazawa, T.; Yamada, M.; Matsuda, S.; Shonaike, G. O.; Murakami, A.: Impact Fracture Behavior of Ethylene Ionomer and Structural Change After Stretching, 1712
**Akin-Öktem, G.**
—; Tanrisinibilir, S.; Tinçer, T.: Study on Mechanical Properties of Perlite-Filled Gamma-Irradiated Polypropylene, 2670
**Alagar, M.** See Kumar, A. A., 38; Kumar, A. K., 2330
**Albrecht, W.** See Schauer, J., 134
**Alcaina-Miranda, I.** See Osorio-Galindo, M., 546
**Alfonso, D.** See Sarraf, A. G., 3124
**Allen, S. D.** See Connor, D. M., 1675
**Amarasinghe, G.** See Chen, F., 2227
**Amer, M. S.**
—; Ganapathiraju, S.: Effects of Processing Parameters on Axial Stiffness of Self-Reinforced Polyethylene Composites, 1136
**An, X.**
—; Su, Z.: Characterization and Application of High Magnetic Property Chitosan Particles, 1175
**An, Y. L.** See Qian, J. W., 2798
**Anbarasan, R.**
—; Jayaseharan, J.; Sudha, M.; Lakshmi Devi, J.; Nirmala, P. V.; Gopalan, A.: Peroxosalts Initiated Graft Copolymerization of Aniline onto Rayon Fiber—A Kinetic Approach, 468
**Andrade, C. T.** See Souza, R. C. R., 412
**Annapoorni, S.** See Sharma, A. L., 1460
**Ansell, C. W. G.**
—; Masters, S. J.; Millan, E. J.: Formulation/Property Relationships in Radiation-Cured Poly(urethane methacrylate) Pressure-Sensitive Adhesives. II. Variation of the Chain Terminator Component, 3321
**Aoi, K.** See Okada, M., 2721
**Aota, H.** See Matsumoto, A., 1187
**Aoyanagi, T.** See Patil, R. C., 2661
**Appendini, P.**
—; Hotchkiss, J. H.: Surface Modification of Poly(styrene) by the Attachment of an Antimicrobial Peptide, 609
**Apple, T.** See Wang, F., 143
**Arai, T.** See Tsukada, M., 1401
**Aranguren, M. I.** See Stefani, P. M., 889
**Areso, S.** See García-Martínez, J. M., 625
**Arica, M. Y.**
—; Yavuz, H.; Denizli, A.: Immobilization of Glucoamylase on the Plain and on the Spacer Arm-Attached Poly(HEMA-EGDMA) Microspheres, 2702
**Aruna, P.** See Sriram, V., 813
**Asakawa, N.** See Shuai, X., 762
**Assadpour, A.** See Namazi, H., 505
**Assink, R. A.**
—; Lang, D. P.; Celina, M.: Condition Monitoring of a Thermally Aged Hydroxy-Terminated Polybutadiene (HTPB)/Isophorone Diisocyanate (IPDI) Elastomer by Nuclear Magnetic Resonance Cross-Polarization Recovery Times, 453
**Asua, J. M.** See Laureau, C., 1258
**Atanassov, At.** See Kostov, G., 2626
**Athawale, A. A.** See Kulkarni, M. V., 1382

**Audibert-Hayet, A.** See Dubois, I., 2480
**Azab, M. M.**
—; Bader, S. K.; Shaaban, A. F.: Preparation and Evaluation of Some Water-Soluble Polyester Surfactants, 3413

**Bader, S. K.** See Azab, M. M., 3413
**Badri, K. H.**
—; Ahmad, S. H.; Zakaria, S.: Production of a High-Functionality RBD Palm Kernel Oil-Based Polyester Polyol, 384
**Bae, S.-Y.** See Kim, B.-K., 2102
**Bae, T.-Y.**
—; Park, K.-Y.; Kim, D.-H.; Suh, K.-D.: Poly(ethylene terephthalate)/Polypropylene Reactive Blends through Isocyanate Functional Group, 1056
**Bae, Y. C.** See Kim, S. H., 948
**Baer, E.** See Hu, Y., 1624
**Baharin, A.** See Ratnam, C. T., 1914, 1926
**Bai, X.-L.**
—; Yang, Y.-Y.; Chung, T.-S.; Ng, S.; Heller, J.: Erratum: Effect of Polymer Composites on the Fabrication of Poly(*ortho*-ester) Microspheres for Controlled Release of Protein, 3083
**Baikerikar, K. K.**
—; Scranton, A. B.: Photopolymerizable Liquid Encapsulants for Microelectronic Devices: Thermal and Mechanical Properties of Systems with Reduced In-Mold Cure Times, 3449
**Bajpai, A. K.**
—; Rajpoot, M.: Release and Diffusion of Sulfamethoxazole Through Acrylamide-Based Hydrogel, 1238
**Balaji, R.** See Senthilkumar, U., 96
**Balke, S. T.**
—; Mourey, T. H.: Local Polydispersity Detection in Size Exclusion Chromatography: Method Assessment, 370
**Banu, D.** See Feldman, D., 861
**Bao, W.** See Katritzky, A. R., 85
**Barandiaran, M. J.** See Laureau, C., 1258
**Barbosa, S. E.**
—; Ferreira, M. L.; Damiani, D. E.; Capiati, N. J.: Copolymerization of Polypropylene and Functionalized Linear α-Olefin onto Glass Fibers, 1266
**Baron, M.** See Zhang, Q., 2249
**Basu, D. K.** See Ghosh, A. K., 800
**Bateman, S. A.**
—; Wu, D. Y.: Composite Materials Prepared from Waste Textile Fiber, 3178
**Baziard, Y.** See Devos, P., 1848
**Bechara, E. J. H.** See Stevani, C. V., 1549
**Bektas, S.** See Duru, P. E., 197
**Ben Jar, P.-Y.**
—; Lee, R.; Creagh, D. C.; Konishi, K.; Shinmura, T.: Identification of Deformation Behavior in High-Thermal-Resistant Poly(acrylonitrile-butadiene-styrene) (ABS), 1316
**Berg, J. C.** See Forester, J. E., 1817
**Bermúdez, M. D.**
—; Carrión-Vilches, F. J.; Martínez-Mateo, I.; Martínez-Nicolás, G.: Comparative Study of the Tribological Properties of Polyamide 6 Filled with Molybdenum Disulfide and Liquid Crystalline Additives, 2426
**Bernède, J. C.** See Del Valle, M. A., 2019; Díaz, F. R., 822
**Betcheva, R.** See Grabchev, I., 2463
**Bhowmick, A. K.** See Chattopadhyay, S., 1936
**Bhushan, B.** See Weick, B. L., 1142
**Biagiotti, J.** See López Manchado, M. A., 1
**Biederman, H.**
—; Boyaci, I. H.; Bilkova, P.; Slavinska, D.; Mutlu, S.; Zemek, J.; Trchova, M.; Klimovic, J.; Mutlu, M.: Characterization of Glow-Discharge–Treated Cellulose Acetate Membrane Surfaces for Single-Layer Enzyme Electrode Studies, 1341
**Bikiaris, D.**
—; Matzinos, P.; Larena, A.; Flaris, V.; Panayiotou, C.: Use of Silane Agents and Poly(propylene-*g*-maleic anhydride) Copolymer as Adhesion Promoters in Glass Fiber/Polypropylene Composites, 701
**Bilkova, P.** See Biederman, H., 1341
**Binder, W. H.** See Weinstabl, A., 1654
**Bindu, R. L.** See Reghunadhan Nair, C. P., 3371
**Bisson, I.** See Gupta, B., 2993
**Bojinov, V.** See Grabchev, I., 2463
**Bokobza, L.**
—; Nugay, N.: Orientational Effect of Mica in Fumed Silica Reinforced Composites, 215
**Bond, E. B.**
—; Spruiell, J. E.: The Effects of Atacticity, Comonomer Content, and Configurational Defects on the Equilibrium Melting Temperature of Monoclinic Isotactic Polypropylene, 229
**Bonfils, F.** See Ehabe, E., 957
**Bontea, D.**
—; The Rheological and Structural Behavior of Silylcellulosics Derivatives, 2277
**Borcia, G.** See Dumitrascu, N., 2419
**Borges, C. P.** See Pereira, C. C., 908
**Borsig, E.**
—; Thomann, R.; Fiedlerová, A.; Mülhaupt, R.: Morphology of the Transparent IPN-like System PE: (BMA-*co*-S), 2615
**Bosch, H.** See Niesten, M. C. E. J., 1605
**Bourban, P.-E.** See Luisier, A., 963
**Boutevin, B.** See Torres, N., 581, 2377
**Boyaci, I. H.** See Biederman, H., 1341
**Bradley, G. L.**
—; Chang, P. C.; McKenna, G. B.: Rubber Modeling Using Uniaxial Test Data, 837

**Brahmbhatt, R. B.** See Patel, A. C., 1731
**Broughton, R. M.** See Lin, J., 943
**Bulakh, N.** See Kodgire, P., 1786
**Bülbül, H.** See Saraç, A. S., 1526
**Burget, D.** See Grotzinger, C., 2368
**Burns, C. M.** See Tantavichet, N., 1493

**Cádiz, V.** See Ruiz, J., 1444
**Cai, X.** See Jiang, B., 773; Jin, J., 350
**Campanelli, J.** See Feldman, D., 861
**Can, E.**
—; Küsefoğlu, S.; Wool, R. P.: Rigid, Thermosetting Liquid Molding Resins From Renewable Resources. I. Synthesis and Polymerization of Soy Oil Monoglyceride Maleates, 69
**Cao, G.-P.**
—; Zhu, Z.-N.; Zhang, M.-H.; Le, H.-H.; Yuan, W.-K.: Kinetics of NBMA Polymerization in a Starved Feed Reactor, 2068
**Capiati, N. J.** See Barbosa, S. E., 1266
**Carlotti, S. J.**
—; Giani-Beaune, O.; Schué, F.: Water-Soluble Poly(vinyl alcohol) Grafted with Propylene Oxide and Epichlorohydrin: Characterization, Mechanical Properties, and Model Reactions, 2868
**Carr, W. W.**
—; Cook, F. L.; Yan, H.; Pfromm, P. H.: Application of Dimer Acid–Based Polyamide for Xerographic Toners for Textiles Printing, 2399
**Carrión-Vilches, F. J.** See Bermúdez, M. D., 2426
**Castellano, M.** See Vigo, F., 2550
**Castillo-Ortega, M. M.**
—; Encinas, J. C.; Rodríguez, D. E.; Olayo, R.: Preparation and Characterization of Electroconductive Polypyrrole–Thermoplastic Composites, 1498
**Celina, M.** See Assink, R. A., 453
**Çengeloğlu, Y.** See Ersöz, M., 421
**Chagas, B. S.** See Da Silva, A. L. N., 3530
**Chaki, T. K.** See Chattopadhyay, S., 1936
**Chakravarti, S.**
—; Ray, W. H.: Kinetic Study of Olefin Polymerization with a Supported Metallocene Catalyst. III. Ethylene Homopolymerization in Slurry, 2901
—; Ray, W. H.; Zhang, S. X.: Kinetic Study of Olefin Polymerization with a Supported Metallocene Catalyst. IV. Comparison of Bridged and Unbridged Catalyst in Gas Phase, 1451
**Chan, A. S. C.** See Li, W., 333
**Chan, W.-C.**
—; Wu, J.-Y.: Dynamic Adsorption Behaviors Between $Cu^{2+}$ Ion and Water-Insoluble Amphoteric Starch in Aqueous Solutions, 2849
**Chang, L.-C.**
—; Xue, Y.; Hsieh, F.-H.: Dynamic-Mechanical Study of Water-Blown Rigid Polyurethane Foams with and without Soy Flour, 2027
**Chang, P. C.** See Bradley, G. L., 837
**Chang, X.**
—; Yang, X.; Wang, B.: Properties and Application of Poly(acrylphenylamidrazone-phenylhydrazide) Chelating Fiber for Enrichment–Separation of Trace Gold and Ruthenium from Solution Samples, 2656
**Chang, Y.-H.** See Ko, T.-H., 1084
**Chaplin, R. P.** See Dadbin, S., 3361
**Chattopadhyay, S.**
—; Chaki, T. K.; Bhowmick, A. K.: Structural Characterization of Electron-Beam Crosslinked Thermoplastic Elastomeric Films from Blends of Polyethylene and Ethylene-Vinyl Acetate Copolymers, 1936
—; See Madras, G., 1996
**Chen, C.-H.**
—; Mao, C.-F.; Lo, Y.-W.: Study of Fusion Percolation Thresholds of Rigid PVC Compounds, 3022
—; See Yeh, J.-T., 2827
**Chen, F.**
—; Shanks, R.; Amarasinghe, G.: Miscibility Behavior of Metallocene Polyethylene Blends, 2227
—; See Shi, G., 116
**Chen, G.**
—; Dong, W.; Liu, J.: Morphologies and Tensile Properties of PA6/HIPS/HIPS-g-MA (Note), 782
**Chen, J.** See Ou, Y., 809
**Chen, J.-S.** See Shieh, Y.-T., 591
**Chen, R.-F.** See Li, X.-G., 3107
**Chen, T.-K.** See Shieh, Y.-T., 186
**Chen, W.-T.** See Liu, J.-H., 1014, 3538
**Chen, X.**
—; Zhong, H.; Jia, L.; Ling, J.; Tang, R.; Qiao, J.; Zhang, Z.: Polyesteramides Used for Hot Melt Adhesives: Synthesis and Effect of Inherent Viscosity on Properties, 2696
**Chen, X.-Z.** See Zhang, Y., 2987
**Chen, Y.** See Zhang, X., 831
**Chen, Y.-J.** See Lee, W.-F., 2888
**Cheng, J.** See Liu, J., 2408
**Cheng, S.** See Zhao, R., 3582
**Chernyak, Y.** See Stauffer, T. C., 1107
**Chetri, P.**
—; Dass, N. N.: Preparation of Poly(vinyl butyral) with High Acetalization Rate, 1182
**Cheung, M. K.** See He, J.-D., 1286
**Chiang, W.-Y.**
—; Hu, H. C.-H.: Phosphate-Containing Flame-Retardant Polymers with Good Compatibility to Polypropylene. I. The Effect of Phosphate Structure on Its Thermal Behavior, 1125
**Chin, P. L.** See Poh, B. T., 47
**Chiovetta, M. G.** See Estenoz, D. A., 285
**Chiu, W.-Y.** See Denq, B.-L., 1161
**Cho, K. Y.** See Kim, C.-H., 1507
**Cho, W.-J.** See Zhou, M. H., 1277
**Cho, Y. H.**
—; Kim, B. K.: Electro-optic Properties of $CO_2$ Fixed-Polymer/Nematic LC Composite Films, 2744
**Choe, K. H.** See Jung, H. C., 486

**Choi, J.-H.**
—; Ryu, J.-H.; Kim, S. Y.: Storage Modulus of Polybutadiene Core in Acrylonitrile–Butadiene–Styrene Polymers with Different Degrees of Grafting, 924
—; See Lyoo, W. S., 1297, 3471
**Choi, J. K.** See Kim, S. H., 948
**Choi, K. Y.** See Woo, B., 1388
**Choi, S.-S.**
—; Influence of Rubber Composition on Migration Behaviors of Antiozonants in Carbon Black-Filled Rubber Vulcanizates Composed of NR, SBR, and BR, 237
**Choudhary, V.** See Jain, P., 390
**Chuang, F.-S.** See Lin, M.-F., 3489
**Chuang, H.-C.** See Shieh, Y.-T., 1799, 1808
**Chun, B.** See Kang, M. S., 1555
**Chung, T.-S.**
—; Lin, W.-H.; Vora, R. H.: Gas Transport Properties of 6FDA-Durene/1,3-Phenylenediamine (mPDA) Copolyimides, 3552
—; See Bai, X.-L., 3083
**Cohn, D.** See Stern, T., 2203
**Collar, E. P.** See García-Martínez, J. M., 625
**Collard, D. M.** See Connor, D. M., 1675
**Connor, D. M.**
—; Allen, S. D.; Collard, D. M.; Liotta, C. L.; Schiraldi, D. A.: Effect of Comonomers on the Rate of Crystallization of PET: U-Turn Comonomers, 1675
**Conway, S. E.**
—; Lim, J. S.; McHugh, M. A.; Wang, J. D.; Mandel, F. S.: Phase Behavior of Semicrystalline Polyester Resin in Supercritical Fluid Solvents and Solvent Mixtures: Implications for Supercritical Fluid Processing, 2642
**Cook, F. L.** See Carr, W. W., 2399
**Costa, D. A.**
—; Oliveira, C. M. F.: Blends of Polyamide 6, Polycarbonate, and Poly(propylene oxide). II. Reactive Compatibilization–Thermal Degradation Relationships, 2556
**Coutinho, F. M. B.** See Da Silva, A. L. N., 3530; Guimarães, M. J. O. C., 1991
**Covas, J. A.** See Machado, A. V., 58
**Creagh, D. C.** See Ben Jar, P.-Y., 1316
**Cser, F.**
—; Hopewell, J. L.; Shanks, R. A.: X-Ray Diffraction Studies on Reverse-Annealed Polyethylenes, 340
**Cui, J.** See Jin, J., 350
**Czech, Z.**
—; Solvent-Based Pressure-Sensitive Adhesives for PVC Sign and Marking Films, 3212

**Dadbin, S.**
—; Chaplin, R. P.: Morphology and Mechanical Properties of Interpenetrating Polymer Networks of Poly(allyl diglycol carbonate) and a Rigid Polyurethane, 3361
**Dall'Orto, V. C.** See Lo Balbo, A., 3038
**Damiani, D. E.** See Barbosa, S. E., 1266
**Damodaran, S.** See Rathna, G. V. N., 2190
**Damronglerd, S.** See Thiraphattaraphun, L., 428
**Daniels, E. S.** See Ghazaly, H. M., 1721
**Dargent, E.** See Kattan, M., 3405
**Dariva, C.**
—; Oliveira, J. V.; Tavares, F. W.; Pinto, J. C.: Phase Equilibria of Polypropylene Samples with Hydrocarbon Solvents at High Pressures, 3044
**Das, A.**
—; Saikia, C. N.; Hussain, S.: Grafting of Methyl Methacrylate (MMA) onto *Antheraea assama* Silk Fiber, 2633
**Da Silva, A. L. N.**
—; Rocha, M. C. G.; Lopes, L.; Chagas, B. S.; Coutinho, F. M. B.: The Effect of Addition of Different Elastomers upon the Crystalline Nature of PP, 3530
**Dass, N. N.** See Chetri, P., 1182
**Davis, S.** See Katritzky, A. R., 85
**De Araújo Fonseca, M. V.** See Perruso, C. R., 2856
**Debling, J. A.**
—; Ray, W. H.: Morphological Development of Impact Polypropylene Produced in Gas Phase with a $TiCl_4/MgCl_2$ Catalyst, 3085
**Debnath, S. C.** See Ghosh, A. K., 800
**Delair, T.** See Veron, L., 3327
**Del Valle, M. A.**
—; Moreno, J.; Díaz, F. R.; Tagle, L. H.; Bernède, J. C.; Tregoüet, Y.: Synthesis and Characterization of Polymers Derived from Selenophene, 2019
**Denes, A. R.**
—; Somers, E. B.; Wong, A. C. L.; Denes, F.: 12-Crown-4–Ether and Tri(ethylene glycol) Dimethyl–Ether Plasma-Coated Stainless Steel Surfaces and Their Ability to Reduce Bacterial Biofilm Deposition, 3425
**Denes, F.** See Denes, A. R., 3425
**Deng, J.-G.** See Li, W., 333
**Denisko, O.** See Katritzky, A. R., 85
**Denizli, A.** See Arica, M. Y., 2702; Duru, P. E., 197; Kayirhan, N., 1322
**Denq, B.-L.**
—; Chiu, W.-Y.; Lin, K.-F.; Fuh, M.-R. S.: Thermal Degradation Behavior of Epoxy Resin Blended with Propyl Ester Phosphazene, 1161
**Desai, P.** See Sura, R. K., 2305
**Devi, S.** See Patel, A. C., 1731
**Devos, P.**
—; Baziard, Y.; Rives, B.; Michelin, P.: Adherence Evaluation of Paint Coatings Using a Three-Point Flexure Test and Acoustic Emission, 1848
**Díaz, F. R.**
—; Godoy, A.; Moreno, J.; Bernède, J. C.; Sánchez, C. O.; Opazo, A.; Gargallo, L.: Synthesis and Characterization of Polyarylureas. I. Potentially Semiconducting Polymers, 822
—; See Del Valle, M. A., 2019
**Diler, Z. İ.** See Saraç, A. S., 1410

**Dimonie, V. L.** See Ghazaly, H. M., 1721
**Ding, X.-B.** See Li, W., 333
**Djonlagic, J.** See Markovic, S., 1902
**Dobáš, I.** See Socha, F., 2875
**Doelker, E.** See Sarraf, A. G., 3124
**Doğan, A.** See Usanmaz, A., 1291
**Dong, W.** See Chen, G., 782
**Dono, K.** See Qian, Y., 662
**Donovan, J. A.** See Nair, S. V., 494
**Doublier, J. L.** See Dubois, I., 2480
**Drouet-Fleurizelle, L.** See Paolpi, M., 2786
**Drozdov, A. D.**
—; The Effect of Temperature on Physical Aging of Glassy Polymers, 3309
**Dubois, I.**
—; Picton, L.; Muller, G.; Audibert-Hayet, A.; Doublier, J. L.: Structure/Rheological Properties Relations of Crosslinked Potato Starch Suspensions, 2480
**Duh, B.**
—; Reaction Kinetics for Solid-State Polymerization of Poly(Ethylene Terephthalate), 1748
**Dumitrascu, N.**
—; Borcia, G.; Popa, G.: Corona Discharge Treatments of Plastified PVC Samples Used in Biological Environment, 2419
**Dunjic, B.** See Markovic, S., 1902
**Duru, P. E.**
—; Bektas, S.; Genç, Ö.; Patir, S.; Denizli, A.: Adsorption of Heavy-Metal Ions on Poly(ethylene imine)-Immobilized Poly(methyl methacrylate) Microspheres, 197
**Dzięciol, M.**
—; Trzeszczyński, J.: Temperature and Atmosphere Influences on Smoke Composition During Thermal Degradation of Poly(ethylene terephthalate), 3064

**Eguiazábal, J. I.** See García, M., 121
**Ehabe, E.**
—; Ngolemasango, F.; Bonfils, F.; Sainte-Beuve, J.: Precision Associated with Determination of Dirt Content of Natural Rubber, 957
**El-Aasser, M. S.** See Ghazaly, H. M., 1721
**El-Adham, K.** See Kamal, H., 1207
**Encinas, J. C.** See Castillo-Ortega, M. M., 1498
**Endo, T.** See Kim, M., 2347
**Entezami, A.** See Namazi, H., 505
**Ersöz, M.**
—; Çengeloğlu, Y.; Kir, E.; Koyuncu, M.; Yazicigil, Z.: Transport of Cu(II) Ions Through Charged Cation-Exchange Membranes, 421
**Eser, Ö.** See Usanmaz, A., 1291
**Estenoz, D. A.**
—; Chiovetta, M. G.: Olefin Polymerization Using Supported Metallocene Catalysts: Process Representation Scheme and Mathematical Model, 285
**Evlanova, N. F.** See Nasimova, I. R., 2838

**Fambri, L.**
—; Pegoretti, A.; Gavazza, C.; Penati, A.: Thermooxidative Stability of Different Polyurethanes Evaluated by Isothermal and Dynamic Methods, 1216
**Fan, R.**
—; Zhang, Y.; Huang, C.; Zhang, Y.; Fan, Y.; Sun, K.: Effect of Crosslink Structures on Dynamic Mechanical Properties of Natural Rubber Vulcanizates under Different Aging Conditions, 710
**Fan, W.** See Wang, Z., 206
**Fan, X.** See Yoshida, M., 2490
**Fan, Y.** See Fan, R., 710
**Fang, J.-H.** See Zhang, W., 2814
**Fang, Q.**
—; Jiang, L.: Synthesis and Characterization of Triallylphenoxytriazine and the Properties of Its Copolymer with Bismaleimide, 1248
**Fang, Z.**
—; Koziński, J. A.: A Comparative Study of Polystyrene Decomposition in Supercritical Water and Air Environments Using Diamond Anvil Cell, 3565
**Favis, B. D.** See Wang, W., 1891
**Feldman, D.**
—; Banu, D.; Campanelli, J.; Zhu, H.: Blends of Vinylic Copolymer with Plasticized Lignin: Thermal and Mechanical Properties, 861
**Felisberti, M. I.** See Rosa, V. M., 3272, 3280
**Feng, K.** See Hu, X., 1481
**Feng, L. X.** See Wang, L., 3186
**Feng, Z.** See Zhi, J., 2210
**Fernandes, F. A. N.**
—; Lona, L. M. F.: Fluidized-Bed Reactor Modeling for Polyethylene Production, 321
**Ferreira, M. L.** See Barbosa, S. E., 1266
**Fiedlerová, A.** See Borsig, E., 2615
**Filipovičová, E.** See Klásek, A., 1439
**Finelli, L.**
—; Lotti, N.; Righetti, M. C.; Munari, A.: Melting Behavior and Crystallization Kinetics of Poly(butylene terephthalate-*co*-diethylene terephthalate) and Poly(butylene terephthalate-*co*-triethylene terephthalate) Copolyesters, 3545
—; See Lotti, N., 981
**Fink, B. K.** See Sands, J. M., 530
**Fiorini, M.** See Lotti, N., 981
**Flaris, V.** See Bikiaris, D., 701
**Forester, J. E.**
—; Sunkel, J. M.; Berg, J. C.: Spontaneous Spreading of Emulsions on Solid Surfaces: Morphology and Dynamics, 1817
**Fortelný, I.**
—; Michálková, D.; Hromádková, J.; Lednický, F.: Effect of a Styrene–Butadiene Copolymer on the Phase Structure and Impact Strength of Polyethylene/High-Impact Polystyrene Blends, 570
**Fouassier, J. P.** See Grotzinger, C., 2368

**Fouda, I. M.**
—; Opto-Thermal Properties of Fibers. XVIII—Skin-Core Structures Variations in Nylon 6 Fibers Due to Different Annealing Conditions, 3349
**Francis, L. F.** See Lei, H., 1000
**Freddi, G.** See Tsukada, M., 1401
**Frey, P.** See Gupta, B., 2993
**Fu, W.** See Pan, Y., 2843
**Fuh, M.-R. S.** See Denq, B.-L., 1161

**Galip Icduygu, M.** See Gultek, A., 512
**Ganapathiraju, S.** See Amer, M. S., 1136
**Gao, C.**
—; Li, A.; Yi, X.; Shen, J.: Construction of Cell-Compatible Layer and Culture of Human Umbilical Vascular Endothelial Cells on Porous Polystyrene Membranes, 3523
**Gao, J.** See Yang, L., 2455
**Gao, S.**
—; Zhang, L.: Semi-Interpenetrating Polymer Networks from Castor Oil–Based Polyurethane and Nitrokonjac Glucomannan, 2076
**Gao, Y.** See Xuan, Y., 1487
**García, M.**
—; Eguiazábal, J. I.; Nazábal, J.: Effects of Mixing Time on Phase Structure and Mechanical Properties of Poly(ethylene terephthalate)/Polycarbonate Blends, 121
**García-Martínez, J. M.**
—; Laguna, O.; Areso, S.; Collar, E. P.: Polypropylene/Mica Composites Modified by Succinic Anhydride–Grafted Atactic Polypropylene: A Thermal and Mechanical Study Under Dynamic Conditions, 625
**Garcia, M. E. F.** See Guimarães, M. J. O. C., 1991
**Gargallo, L.** See Díaz, F. R. °, 822
**Garnier, S.**
—; Pizzi, A.: CHT and TTT Curing Diagrams of Polyflavonoid Tannin Resins, 3220
—; Pizzi, A.; Vorster, O. C.; Halasz, L.: Comparative Rheological Characteristics of Industrial Polyflavonoid Tannin Extracts, 1634
**Gavazza, C.** See Fambri, L., 1216
**Gawdzik, B.**
—; Matynia, T.: Synthesis and Modification of Epoxy-Based Divinyl Ester Resin, 2062
**Gawish, S. M.** See Ramadan, A. M., 2318
**Gaymans, R. J.** See Niesten, M. C. E. J., 1372, 1605
**Geckeler, K. E.** See Rivas, B. L., 1310
**Geleel, M. A.** See Kamal, H., 1207
**Genç, Ö.** See Duru, P. E., 197
**George, K. E.** See Isac, S. K., 2545
**Gerberich, W. W.** See Lei, H., 1000
**Ghazaly, H. M.**
—; Daniels, E. S.; Dimonie, V. L.; Klein, A.; El-Aasser, M. S.: Miniemulsion Copolymerization of *n*-Butyl Methacrylate with Crosslinking Monomers, 1721
**Ghosh, A. K.**
—; Debnath, S. C.; Naskar, N.; Basu, D. K.: NR–EPDM Covulcanization: A Novel Approach, 800
**Giani-Beaune, O.** See Carlotti, S. J., 2868
**Gilbert, R. D.** See Stauffer, T. C., 1107
**Gill, W. N.** See Wang, F., 143
**Gillham, J. K.** See Lee, J. K., 396, 3084
**Godoy, A.** See Díaz, F. R., 822
**Goh, S. H.** See Li, X.-D., 901
**Goharpey, F.**
—; Katbab, A. A.; Nazockdast, H.: Mechanism of Morphology Development in Dynamically Cured EPDM/PP TPEs. I. Effects of State of Cure, 2531
**Gomaa, E.** See Mazzroua, A., 2102
**Gondo, T.** See Yamada, K., 1595
**Gopalakrishnan, K. S.** See Sasidharan, K. K., 3141
**Gopalan, A.** See Anbarasan, R., 468
**Goranov, K.** See Woo, B., 1388
**Goto, T.** See Kawahara, H., 128
**Gouri, C.** See Achary, P. S., 2597
**Grabchev, I.**
—; Bojinov, V.; Betcheva, R.: Spectrophotometric Investigation of the Copolymerization of Styrene or Methyl Methacrylate with 1,8-Naphthalimide Dyes, 2463
**Gradwell, M. H. S.** See Van Der Merwe, M. J., 2565, 2573, 2587
**Grandy, D. B.** See Song, M., 2136
**Grenet, J.** See Kattan, M., 3405
**Grepinet, B.**
—; Pla, F.; Hobbes, Ph.; Monge, Th.; Swaels, Ph.: Modeling and Simulation of Urethane Acrylates Synthesis. II: Kinetics of Uncatalyzed Reaction of Toluene Diisocyanate with a Polyether Diol, 3149
**Grotzinger, C.**
—; Burget, D.; Jacques, P.; Fouassier, J. P.: A Novel and Efficient Xanthenic Dye–Organometallic Ion-Pair Complex for Photoinitiating Polymerization, 2368
**Gruber, H.** See Weinstabl, A., 1654
**Gu, J.** See Pan, Y., 2843
**Gu, Q.**
—; Wu, L.; Wu, D.; Shen, D.: Effect of Self-Nucleation on the Crystallization of Segmented Copolymer Poly(Ether ester), 498
**Gu, X.** See Yang, C. Q., 223
**Gu, Z.** See Wei, Z., 1467
**Guibal, E.** See Ruiz, M., 153
**Guimarães, M. J. O. C.**
—; Coutinho, F. M. B.; Rocha, M. C. G.; Garcia, M. E. F.: Preparation and Characterization of Blends of High Density Polyethylene and Poly(ethylene-*co*-1-octene) Elastomer, 1991
**Gultek, A.**
—; Seckin, T.; Onal, Y.; Galip Icduygu, M.: Preparation and Phenol Captivating Properties of Polyvinylpyrrolidone-Montmorillonite Hybrid Materials, 512
**Guo, C.-K.** See Zhong, J.-P., 1305
**Guo, X.-X.** See Zhang, W., 2814
**Guodong, Z.** See Lihong, S., 3268
**Gupta, B.**
—; Hilborn, J. G.; Bisson, I.; Frey, P.: Plasma-Induced Graft Polymerization of Acrylic Acid

onto Poly(ethylene terephthalate) Films, 2993
**Gupta, K. C.**
—; Sahoo, S.: Co(III) Acetylacetonate-Complex-Initiated Grafting of *N*-Vinyl Pyrrolidone on Cellulose in Aqueous Media, 2287
**Gupta, S.** See Thames, S. F., 754
**Guptam, S. K.** See Zhou, F., 1951
**Gurny, R.** See Sarraf, A. G., 3124
**Güven, O.** See Pekel, N., 2324

**Ha, C.-S.** See Kim, M.-R., 2735; Park, S.-Y., 2161; Zhou, M. H., 1277
**Hahm, H.-S.** See Park, H.-S., 1614
**Halasz, L.** See Garnier, S., 1634
**Hambir, S.** See Kodgire, P., 1786
**Han, H.** See Yang, G., 3260
**Han, Q.**
—; Urban, M. W.: Surface/Interfacial Changes During Polyurethane Crosslinking: A Spectroscopic Study, 2045
**Han, S. S.** See Lyoo, W. S., 3471
**Han, Z.** See Wang, K., 78
**Hao, J.** See Jiang, B., 773
**Harada, O.**
—; Kadota, K.; Yamamoto, T.: Collagen-Based New Biomedical Films: Synthesis, Property, and Cell Adhesion, 2433
**Hasirci, N.** See Kayirhan, N., 1322
**Hatate, Y.** See Yoshida, M., 2490
**He, G.** See Yang, A., 3117
**He, J.** See Rajulu, A. V., 557
**He, J.-D.**
—; Wang, J.; Li, S.-D.; Cheung, M. K.: New Synthetic Method for Soluble Starlike $C_{60}$-Bonding Polymers, 1286
**He, Y.** See Shuai, X., 762
**Hegazy, E. A.**
—; Kamal, H.; Khalifa, N. A.; Mahmoud, G. A.: Separation and Extraction of Some Heavy and Toxic Metal Ions from Their Wastes by Grafted Membranes, 849
—; See Kamal, H., 1207
**Heinze, Th.**
—; Pfeiffer, K.; Lazik, W.: Starch Derivatives with High Degree of Functionalization. III. Influence of Reaction Conditions and Starting Materials on Molecular Structure of Carboxymethyl Starch, 2036
**Heller, J.** See Bai, X.-L., 3083
**Hilborn, J. G.** See Gupta, B., 2993
**Hiltner, A.** See Hu, Y., 1624
**Hirata, M.** See Yamada, K., 1595
**Hirayama, K.**
—; Sakai, Y.; Kameoka, K.: Synthesis of Polymer Particles with Specific Lysozyme Recognition Sites by a Molecular Imprinting Technique, 3378
**Hobbes, Ph.** See Grepinet, B., 3149
**Homsin, S.** See Nakason, C., 2803
**Hon, D. N.-S.**
—; Yan, H.: Cellulose Furoate. I. Synthesis in Homogeneous and Heterogeneous Systems, 2649
**Hongfei, H.** See Jun, L., 3578
**Hong, X.** See Shi, G., 116
**Hopewell, J. L.** See Cser, F., 340
**Hotchkiss, J. H.** See Appendini, P., 609
**Hou, W.** See Shi, G., 116
**Hourston, D. J.** See Song, M., 2136, 2439
**Hromádková, J.** See Fortelný, I., 570
**Hsieh, F.-H.** See Chang, L.-C., 2027
**Hsu, W.-P.**
—; Effect of Tacticity of Poly(Methyl Methacrylate) on the Miscibility With Poly(Vinyl Pyrrolidone), 3190
**Hu, C.-H.** See Ko, T.-H., 1090
**Hu, H. C.-H.** See Chiang, W.-Y., 1125
**Hu, P.** See Yuan, H., 3290
**Hu, X.**
—; Liu, Z.; Feng, K.; Li, T.; Huang, Y.: Characterization of Ionomer Solutions. I. Division of the Concentration Region and Viscosity–Concentration Functions, 1481
**Hu, Y.**
—; Topolkaraev, V.; Hiltner, A.; Baer, E.: Measurement of Water Vapor Transmission Rate in Highly Permeable Films, 1624
—; See Qi, C., 2964
**Hua, X.** See Jin, J., 350
**Huang, C.** See Fan, R., 710
**Huang, D.** See Meng, Q., 2246
**Huang, J.** See Qian, Y., 662; Zhang, L., 3251
**Huang, M.-R.**
—; Li, X.-G.; Yang, Y.-L.; Wang, X.-S.; Yan, D.: Oxidative Copolymers of Aniline with *o*-Toluidine: Their Structure and Thermal Properties, 1838
—; See Li, X.-G., 3107
**Huang, P.** See Wang, Z., 206
**Huang, Q.** See Ou, Y., 809
**Huang, Y.** See Hu, X., 1481; Xuan, Y., 1487; Zhao, R., 3582
**Huang, Y. D.** See Liu, L., 2764
**Huang, Y.-L.** See Lee, W.-F., 1827
**Huh, M. W.**
—; Kang, I.-K.; Lee, D. H.; Kim, W. S.; Lee, D. H.; Park, L. S.; Min, K. E.; Seo, K. H.: Surface Characterization and Antibacterial Activity of Chitosan-Grafted Poly(ethylene terephthalate) Prepared by Plasma Glow Discharge, 2769
**Hurst, J.** See Lo Balbo, A., 3038
**Hussain, G. F. S.**
—; Nachane, R. P.: Inverse Relaxation in Compression of Solid Polymer Block (Note), 2563
**Hussain, M.** See Low, I. M., 931
**Hussain, S.** See Das, A., 2633
**Hwang, G.-C.** See Kim, B.-K., 2102
**Hwang, J. Y.** See Lee, J. K., 396, 3084
**Hwang, S.-H.**
—; Jung, J.-C.: Curing Kinetics and Thermal Properties of Diglycidylether of Bisphenol A with Various Diamines, 279

**Iannoni, A.** See Jimenez, A., 1881
**Iborra-Clar, A.** See Osorio-Galindo, M., 546
**Idriss Ali, K. M.** See Rahman, M. M., 1858
**Iijima, T.**
—; Ono, H.; Tomoi, M.: Modification of Bismaleimide Resin by Poly(ethylene phthalate-*co*-ethylene terephthalate), Poly(ethylene phthalate-*co*-ethylene 4,4′-

biphenyl dicarboxylate), and Poly(ethylene phthalate-*co*-ethylene 2,6-naphthalene dicarboxylate), 2352
**Imai, T.** See Tsukada, M., 1401
**Inoue, Y.** See Shuai, X., 762
**Isac, S. K.**
—; George, K. E.: Reactive Processing of Polyethylenes on a Single Screw Extruder, 2545
**Ishida, H.**
—; Lee, Y.-H.: Infrared and Thermal Analyses of Polybenzoxazine and Polycarbonate Blends, 1021
**Ismail, H.** See Poh, B. T., 47

**Jabarin, S. A.** See Shi, Y., 11, 23
**Jacques, P.** See Grotzinger, C., 2368
**Jagdish Kumar, M. N.** See Karthikeyan, C. S., 405
**Jain, P.**
—; Choudhary, V.; Varma, I. K.: Thermal Characterization of Diglycidyl Ether of Bisphenol-A/Phosphorus Containing Amines, 390
**Jain, S. R.** See Sridhara, K., 3204
**Jang, J.** See Kim, Y.-H., 793
**Jayaseharan, J.** See Anbarasan, R., 468
**Jeczalik, J.**
—; Action of Hydrocarbon and Ester Plasticizer in Urethane Elastomer for Sealing Purposes, 523
**Jensen, R. E.** See Sands, J. M., 530
**Jeon, I. R.** See Kim, D. J., 1115
**Jeong, Y.-T.** See Kang, K. K., 460
**Ji, B. C.** See Lyoo, W. S., 1297, 3471
**Ji, G.** See Qi, C., 2964
**Jia, L.** See Chen, X., 2696
**Jian, X.** See Xuan, Y., 1487
**Jiang, B.**
—; Hao, J.; Wang, W.; Jiang, L.; Cai, X.: Synthesis and Thermal Properties of Poly(urethane-imide), 773
—; See Liu, L., 2764
**Jiang, L.** See Fang, Q., 1248; Jiang, B., 773; Weng, J., 1353
**Jiang, S.** See Wang, L., 3186
**Jimenez, A.**
—; Lopez, J.; Iannoni, A.; Kenny, J. M.: Formulation and Mechanical Characterization of PVC Plastisols Based on Low-Toxicity Additives, 1881
**Jin, B. S.** See Lee, J. K., 695
**Jin, J.**
—; Cui, J.; Tang, X.; Li, S.; Wang, J.; Zhao, Q.; Hua, X.; Cai, X.: Polyetherimide-Modified Bismaleimide Resins. II. Effect of Polyetherimide Content, 350
**Jin, R.** See Yang, L., 2455
**Jin, Y.** See Li, X.-G., 3107
**Jiuqiang, L.** See Jun, L., 3578
**Jog, J. P.** See Kodgire, P., 1786
**Johann, C.** See Podzimek, S., 1588
**Johnson, M. B.**
—; Wilkes, G. L.: Microporous Membranes of Polyoxymethylene from a Melt-Extrusion Process: (I) Effects of Resin Variables and Extrusion Conditions, 2944
**Jóna, E.**
—; Ondrušová, D.; Pajtášová, M.; Šimon, P.; Michálek, J.: A Study of Curative Interactions in the Presence of Cobalt(II) Stearate, 2936
**Joseph, R.** See Sasidharan, K. K., 3141; Sulekha, P. B., 2183
**Juhanoja, J.** See Walsby, N., 1572
**Jun, L.**
—; Min, Y.; Jiuqiang, L.; Hongfei, H.: Pre-irradiation Grafting Polymerization of DMAEMA onto Cotton Cellulose Fabrics, 3578
**Jun, X.** See Lihong, S., 3268
**Jung, H. C.**
—; Ryu, S. C.; Kim, W. N.; Lee, Y.-B.; Choe, K. H.; Kim, S.-B.: Properties of Rigid Polyurethane Foams Blown by HCFC 141B and Distilled Water, 486
**Jung, J.-C.** See Hwang, S.-H., 279
**Jurkowskii, B.**
—; Pesetskii, S. S.; Krivoguz, Y. M.; Olkhov, Y. A.: Solubility of Additives, Grafting of Itaconic Acid onto LDPE by Reactive Extrusion, Part 2: Effect of Stabilizers, 3439
**Jyotsna, T. S.** See Abraham, D., 1544

**Kabal'nova, N. N.**
—; Murinov, K. Y.; Mullagaliev, I. R.; Krasnogorskaya, N. N.; Shereshovets, V. V.; Monakov, Y. B.; Zaikov, G. E.: Oxidative Destruction of Chitosan Under the Effect of Ozone and Hydrogen Peroxide, 875
**Kadla, J. F.** See Stauffer, T. C., 1107
**Kadota, K.** See Harada, O., 2433
**Kaesman, A.** See Nakason, C., 2803
**Kage, H.** See Kawahara, H., 128
**Kaji, A.** See Ohta, Y., 312
**Kale, D. D.** See Majumdar, A., 53; Upadhyay, R. D., 2298
**Kalgaonkar, R.** See Kodgire, P., 1786
**Kamal, H.**
—; Hegazy, E. A.; El-Adham, K.; Geleel, M. A.: Separation of Tc-99m by Means of Radiation-Grafted Membranes, 1207
—; See Hegazy, E. A., 849
**Kameoka, K.** See Hirayama, K., 3378
**Kanazawa, T.** See Akimoto, H., 1712
**Kang, H. J.** See Kim, D. J., 637, 2443
**Kang, I.-K.** See Huh, M. W., 2769; Kim, D. J., 1115
**Kang, K. K.**
—; Kim, K.-S.; Lee, D.-H.; Jeong, Y.-T.: Propylene Polymerization by Using $TiCl_4$ Catalyst Supported on Solvent-Activated $Mg(OEt)_2$, 460
**Kang, M. S.**
—; Chun, B.; Kim, S. S.: Surface Modification of Polypropylene Membrane by Low-Temperature Plasma Treatment, 1555
**Kang, Y. S.** See Kim, J. H., 3481
**Kantner, W.** See Weinstabl, A., 1654
**Karger-Kocsis, J.** See Rosa, V. M., 3280
**Karjalainen, T.**
—; Rich, J.; Seppälä, J.: Release of Model Compounds from Modified Lactone Copolymers, 2118
**Karthikeyan, C. S.**
—; Sankaran, S.; Jagdish Kumar, M. N.; Kishore: Processing and

Compressive Strengths of Syntactic Foams with and without Fibrous Reinforcements, 405
**Kasai, N.** See Tsukada, M., 1401
**Katbab, A. A.** See Abbasi, F., 364; Goharpey, F., 2531
**Katritzky, A. R.**
—; Yao, J.; Qi, M.; Qiu, G.; Bao, W.; Yang, B.; Denisko, O.; Davis, S.; Zhang, J.: Preparation and Physical Properties of *N*-Defunctionalized Derivatives of Poly(aspartic acid), 85
**Kattan, M.**
—; Dargent, E.; Ledru, J.; Grenet, J.: Strain-Induced Crystallization in Uniaxially Drawn PETG Plates, 3405
**Kawahara, H.**
—; Goto, T.; Ohnishi, K.; Ogura, H.; Kage, H.; Matsuno, Y.: Preparation of Epoxy Resin/Acrylic Composite Latexes by Miniemulsion Polymerization Method, 128
**Kaya, D.** See Pekcan, Ö., 3161
**Kayirhan, N.**
—; Denizli, A.; Hasirci, N.: Adsorption of Blood Proteins on Glow-Discharge-Modified Polyurethane Membranes, 1322
**Ke, T.**
—; Sun, X.: Effects of Moisture Content and Heat Treatment on the Physical Properties of Starch and Poly(lactic acid) Blends, 3069
**Kenny, J. M.** See Jimenez, A., 1881; López Manchado, M. A., 1, 1063
**Keskin, S.**
—; Özkar, S.: Kinetics of Polyurethane Formation Between Glycidyl Azide Polymer and a Triisocyanate, 918
**Khalifa, N. A.** See Hegazy, E. A., 849
**Khalil, H. P. S. A.** See Mohd. Ishak, Z. A., 742
**Khan, M. A.** See Rahman, M. M., 1858
**Khokhlov, A. R.** See Nasimova, I. R., 2838, 3238
**Khorshied, S. A.** See Ragab, A. R., 991
**Kiatkamjornwong, S.** See Nakason, C., 2803; Thiraphattaraphun, L., 428
**Kim, B.-K.**
—; Hwang, G.-C.; Bae, S.-Y.; Yi, S.-C.; Kumazawa, H.: Depolymerization of Polyethyleneterephthalate in Supercritical Methanol, 2102
—; See Cho, Y. H., 2744
**Kim, C.-H.**
—; Cho, K. Y.; Park, J.-K.: Reactive Blends of Gelatinized Starch and Polycaprolactone-*g*-Glycidyl Methacrylate, 1507
**Kim, D.-H.** See Bae, T.-Y., 1056; Lyoo, W. S., 1297
**Kim, D. J.**
—; Kang, H. J.; Seo, K. H.: Peroxide Modification of Poly(butylene adipate-*co*-succinate), 637
—; Kim, S. W.; Kang, H. J.; Seo, K. H.: Foaming of Aliphatic Polyester Using Chemical Blowing Agent, 2443
—; Kim, W. S.; Lee, D. H.; Min, K. E.; Park, L. S.; Kang, I. K.; Jeon, I. R.; Seo, K. H.: Modification of Poly(butylene succinate) with Peroxide: Crosslinking, Physical and Thermal Properties, and Biodegradation, 1115
**Kim, E. A.** See Oh, K. W., 684
**Kim, H. J.** See Lee, E. S., 654
**Kim, H. S.**
—; Shafiq, R. M.: Model for Thickness Effect with Impact Testing of Viscoelastic Materials, 1762
—; See Kim, M.-R., 2735
**Kim, J.** See Lee, K., 2929
**Kim, J. H.**
—; Min, B. R.; Park, H. C.; Won, J.; Kang, Y. S.: Phase Behavior and Morphological Studies of Polyimide/PVP/Solvent/Water Systems by Phase Inversion, 3481
—; See Lyoo, W. S., 1297, 3471
**Kim, K.-S.** See Kang. K. K., 460
**Kim, M.**
—; Sanda, F.; Endo, T.: Curing of Epoxides with *O,O*-Di-*t*-butyl Phenylphosphonate as Thermally Latent Initiator, 2347
**Kim, M.-R.**
—; Kim, H.-S.; Ha, C.-S.; Park, D.-W.; Lee, J.-K.: Syntheses and Thermal Properties of Poly(hydroxy)urethanes by Polyaddition Reaction of Bis(cyclic carbonate) and Diamines, 2735
**Kim, M.-S.** See Park, H.-S., 1614
**Kim, S.-B.** See Jung, H. C., 486
**Kim, S. H.**
—; Choi, J. K.; Bae, Y. C.: Mechanical Properties and Ionic Conductivity of Gel Polymer Electrolyte Based on Poly(vinylidene-fluoride-*co*-hexafluoropropylene), 948
—; See Oh, K. W., 684
**Kim, S.-K.** See Park, H.-S., 1614
**Kim, S. S.** See Kang, M. S., 1555; Lyoo, W. S., 3471
**Kim, S. W.** See Kim, D. J., 2443; Lee, J. Y., 479; Lu, M. G., 2253
**Kim, S. Y.** See Choi, J.-H., 924; Lee, M. S., 2170
**Kim, W. G.**
—; Yoon, H. G.; Lee, J.: Cure Kinetics of Biphenyl Epoxy Resin System Using Latent Catalysts, 2711
**Kim, W. N.** See Jung, H. C., 486
**Kim, W. S.** See Huh, M. W., 2769; Kim, D. J., 1115
**Kim, Y.-H.**
—; Jang, J.; Song, K.-G.; Lee, E.-S.; Ko, S.-W.: Durable Flame-Retardant Treatment of Polyethylene Terephthalate (PET) and PET/Cotton Blend Using Dichlorotribromophenyl Phosphate as New Flame Retardant for Polyester, 793
**Kimura, I.**
—; Taguchi, Y.; Yoshii, H.; Tanaka, M.: Encapsulation of Aluminum Flakes by Dispersion Polymerization of Styrene in a Nonaqueous System with Reactive Surfactants, 675
**Kir, E.** See Ersöz, M., 421
**Kishore.** See Karthikeyan, C. S., 405
**Kitamura, Y.** See Matsuyama, H., 936

**Klásek, A.**
—; Filipovičová, E.; Špaček, J.: Efficiency of Some Dinitrodiamines and Dinitrodiamides in Improving Dynamic Properties of Vulcanized Rubber, 1439
**Klein, A.** See Ghazaly, H. M., 1721; Tobing, S., 2109
**Klimovic, J.** See Biederman, H., 1341
**Ko, S.-W.** See Kim, Y.-H., 793
**Ko, T.-H.**
—; Kuo, W.-S.; Chang, Y.-H.: Microstructural Changes of Phenolic Resin during Pyrolysis, 1084
—; Kuo, W.-S.; Hu, C.-H.: Raman Spectroscopic Study of Effect of Steam and Carbon Dioxide Activation on Microstructure of Polyacrylonitrile-Based Activated Carbon Fabrics, 1090
**Koda, S.**
—; Tsutsuno, N.; Yamada, G.; Nomura, H.: Acoustic Analysis of Composite Soft Materials. I. Characterization of the Core and Boundary Layer from Compressibility of Core/Shell Particles Dispersed in Poly(vinyl chloride), 2089
**Kodgire, P.**
—; Kalgaonkar, R.; Hambir, S.; Bulakh, N.; Jog, J. P.: PP/Clay Nanocomposites: Effect of Clay Treatment on Morphology and Dynamic Mechanical Properties, 1786
**Kong, J.**
—; Li, K.: Preparation of PVDF Hollow-Fiber Membranes via Immersion Precipitation, 1643
**Konishi, K.** See Ben Jar, P.-Y., 1316
**Koo, K.** See Lyoo, W. S., 3471
**Korhonen, H.**
—; Seppälä, J. V.: Synthesis of Poly(ester-anhydride)s Based on Poly(ϵ-Caprolactone) Prepolymer, 176
**Kostov, G.**
—; Nikolov, Al.; Atanassov, At.: Study of the Thermal Properties and Relaxation Transitions in Tetrafluoroethene-Ethene Copolymers, 2626
**Košutić, K.**
—; Kunst, B.: Effect of Hydrolysis on Porosity of Cellulose Acetate Reverse Osmosis Membranes, 1768
**Koyuncu, M.** See Ersöz, M., 421
**Koziński, J. A.** See Fang, Z., 3565
**Krasnogorskaya, N. N.** See Kabal'nova, N. N., 875
**Krivoguz, Y. M.** See Jurkowskii, B., 3439
**Křiž, J.** See Masař, B., 3514
**Krupa, I.**
—; Luyt, A. S.: Mechanical Properties of Uncrosslinked and Crosslinked Linear Low-Density Polyethylene/Wax Blends, 973
**Kůdela, V.** See Schauer, J., 134
**Kulkarni, M. G.** See Vaidya, A. A., 1075
**Kulkarni, M. V.**
—; Athawale, A. A.: Poly(2,3-dimethylaniline) as a Competent Material for Humidity Sensor, 1382
**Kumar, A. A.**
—; Alagar, M.; Rao, R. M. V. G. K.: Preparation and Characterization of Siliconized Epoxy/Bismaleimide (*N,N'*-Bismaleimido-4,4′-diphenyl methane) Intercrosslinked Matrices for Engineering Applications, 38
**Kumar, A. K.**
—; Alagar, M.; Rao, R. M. V. G. K.: Studies on Thermal and Morphological Behavior of Siliconized Epoxy Bismaleimide Matrices, 2330
**Kumar, R. N.** See Rozman, H. D., 1333
**Kumazawa, H.** See Kim, B.-K., 2102
**Kume, T.** See Wach, R. A., 3030
**Kunst, B.** See Košutić, K., 1768
**Kunugi, T.** See Suzuki, A., 600
**Kuo, W.-S.** See Ko, T.-H., 1084, 1090
**Kurokawa, Y.** See Nakane, K., 2084
**Küsefoğlu, S.** See Can, E., 69
**Kwak, G.-H.**
—; Park, S.-J.; Lee, J.-R.: Viscoelastic Behavior of Anhydride-Cured Epoxy System Initiated by Thermal Latent Catalyst, 646
**Kweon, D.-K.**
—; Lim, S.-T.: Substitution of Cornstarch With Polycaprolactone Via Chlorination and Water Resistance of the Substituted Starch, 2197
**Kweon, H.**
—; Woo, S. O.; Park, Y. H.: Effect of Heat Treatment on the Structural and Conformational Changes of Regenerated *Antheraea pernyi* Silk Fibroin Films, 2271
**Kweon, J.-O.**
—; Noh, S.-T.: Thermal, Thermomechanical, and Electrochemical Characterization of the Organic–Inorganic Hybrids Poly(ethylene oxide) (PEO)–Silica and PEO–Silica–$LiClO_4$, 2471
**Kwok, K. W.** See Yuan, X., 251

**Lacabanne, C.** See Paolpi, M., 2786
**Laguna, O.** See García-Martínez, J. M., 625
**Lakshmi Devi, J.** See Anbarasan, R., 468
**Landers, R.** See Nitz, H., 1972
**Lang, D. P.** See Assink, R. A., 453
**Larena, A.** See Bikiaris, D., 701
**Larock, R. C.** See Marks, D. W., 2001
**Laureau, C.**
—; Vicente, M.; Barandiaran, M. J.; Leiza, J. R.; Asua, J. M.: Effect of the Composition Profile of 2-Ethyl Hexyl Acrylate/Methyl Methacrylate Latex Particles on Adhesion, 1258
**Lazik, W.** See Heinze, Th., 2036
**Le, H.-H.** See Cao, G.-P., 2068
**Lednický, F.** See Fortelný, I., 570
**Ledru, J.** See Kattan, M., 3405
**Lee, B.** See Lee, K., 2929
**Lee, C. J.** See Lyoo, W. S., 1297
**Lee, D. H.** See Huh, M. W., 2769; Kang, K. K., 460; Kim, D. J., 1115

**Lee, E. S.**
—; Kim, H. J.: Durable Press Finish of Cotton/Polyester Fabrics with 1,2,3,4-Butanetetracarboxylic Acid and Sodium Propionate, 654
—; See Kim, Y.-H., 793
**Lee, H. S.** See Lyoo, W. S., 3471; Park, S.-Y., 2161
**Lee, J.** See Kim, W. G., 2711
**Lee, J. H.** See Lee, J. K., 695
**Lee, J. K.**
—; Hwang, J. Y.; Gilham, J. K.: Erratum: Erasure Below Glass-Transition Temperature of Effect of Isothermal Physical Aging in Fully Cured Epoxy/Amine Thermosetting System, 3084
—; Hwang, J. Y.; Gillham, J. K.: Erasure Below Glass-Transition Temperature of Effect of Isothermal Physical Aging in Fully Cured Epoxy/Amine Thermosetting System, 396
—; Lee, J. H.; Lee, K. H.; Jin, B. S.: Phase Separation and Crystallization Behavior in Extruded Polypropylene/Ethylene–Propylene Rubber Blends, 695
—; See Kim, M.-R., 2735
**Lee, J.-R.** See Kwak, G.-H., 646
**Lee, J.-S.** See Lyoo, W. S., 3471
**Lee, J. Y.**
—; Shim, M. J.; Kim, S. W.: Thermal Decomposition Kinetics of an Epoxy Resin with Rubber-Modified Curing Agent, 479
**Lee, K.**
—; Kim, J.; Lee, B.: Free Radical Polymerization of Nitropropyl Acrylates and Methacrylates. I. Heat of Polymerization, 2929
**Lee, K. H.** See Lee, J. K., 695
**Lee, M. S.**
—; Kim, S. Y.: Effects of Initial Structure on the Deformation Behavior of PP Hollow Fiber in Continuous Drawing, 2170
**Lee, R.** See Ben Jar, P.-Y., 1316
**Lee, R.-S.**
—; Yang, J.-M.: Synthesis and Characterization of Novel Block Copolymer from *trans*-4-Hydroxyl-L-proline and Poly(ethylene glycol), 1581
**Lee, S.-H.**
—; Shiraishi, N.: Plasticization of Cellulose Diacetate by Reaction with Maleic Anhydride, Glycerol, and Citrate Esters During Melt Processing, 243
**Lee, W.-F.**
—; Chen, Y.-J.: Synthesis and Swelling Properties of 2-Hydroxyethyl Methacrylate-*co*-1-vinyl-3-(3-sulfopropyl)imidazolium Betaine Hydrogels, 2888
—; Huang, Y.-L.: Superabsorbent Polymeric Materials IX: Effect of Cationic Structure on Swelling Behavior of Crosslinked Poly(sodium acrylate-*co*-cationic monomers) in Aqueous Salt Solutions, 1827
—; Lin, Y.-H.: pH-Reversible Hydrogels. IV. Swelling Behavior of the 2-Hydroxyethyl Methacrylate-*co*-Acrylic Acid-*co*-Sodium Acrylate Copolymeric Hydrogels, 1360
**Lee, Y.-B.** See Jung, H. C., 486
**Lee, Y.-H.** See Ishida, H., 1021
**Lei, H.**
—; Payne, J. A.; McCormick, A. V.; Francis, L. F.; Gerberich, W. W.; Scriven, L. E.: Stress Developments in Drying Coatings, 1000
**Lei, J.**
—; Liao, X.: Surface Graft Copolymerization of 2-Hydroxyethyl Methacrylate onto Low-Density Polyethylene Film Through Corona Discharge in Air, 2881
**Leiza, J. R.** See Laureau, C., 1258
**Lele, B. S.** See Vaidya, A. A., 1075
**Lemmetyinen, H.** See Li, S., 1474
**Leonov, A. I.** See Zhang, W., 2517
**Li, A.** See Gao, C., 3523
**Li, F.** See Marks, D. W., 2001
**Li, G.** See Yang, R., 359
**Li, H.** See Li, X., 3002
**Li, K.** See Kong, J., 1643
**Li, L.** See Liu, J., 2408
**Li, R. K. Y.** See Li, T. Q., 1420
**Li, S.**
—; Vuorimaa, E.; Lemmetyinen, H.: Application of Isothermal and Model-Free Isoconversional Modes in DSC Measurement for the Curing Process of the PU System, 1474
—; See Jin, J., 350
**Li, S.-D.** See He, J.-D., 1286; Zhong, J.-P., 1305
**Li, T.** See Hu, X., 1481
**Li, T. Q.**
—; Ng, C. N.; Li, R. K. Y.: Impact Behavior of Sawdust/Recycled–PP Composites, 1420
**Li, W.**
—; Ding, X.-B.; Zheng, Z.-H.; Zhang, W.-C.; Deng, J.-G.; Peng, Y.; Chan, A. S. C.; Yip, C. W.: Synthesis of Amphiphilic Microspheres by Suspension Copolymerization of Styrene and Poly(ethylene oxide) Macromonomer, 333
—; Xie, Z.; Li, Z.: Synthesis, Characterization of Polyacrylate-*g*-Carbon Black and Its Application to Soap-Free Waterborne Coating, 1100
**Li, X.**
—; Zhang, X.; Li, H.: Preparation and Characterization of Pyrrole/Aniline Copolymer Nanofibrils Using the Template-Synthesis Method, 3002
**Li, X.-D.**
—; Goh, S. H.: Specific Interactions in 4-Hydroxybenzoic Acid/Poly(2-vinylpyridine)/Poly(*N*-vinyl-2-pyrrolidone) Blends, 901
**Li, X.-G.**
—; Huang, M.-R.; Chen, R.-F.; Jin, Y.; Yang, Y.-L.: Preparation and Characterization of Poly(*p*-phenylenediamine-*co*-xylidine), 3107
—; See Huang, M.-R., 1838
**Li, Z.** See Li, W., 1100; Mai, K., 2679
**Liang, G.**
—; Wang, D.: High-Performance Bismaleimide Resin Film for Resin Film Infusion, 2918
**Liang, H.** See Wang, W., 1891

**Liao, X.** See Lei, J., 2881
**Liau, J.-S.** See Shieh, Y.-T., 186
**Lihong, S.**
—; Shengru, Q.; Jun, X.; Xuan, T.; Guodong, Z.; Shengwang, F.: Synthesis and Properties of High-Performance and Good Water-Soluble Melamine–Formaldehyde Resin, 3268
**Lim, J. S.** See Conway, S. E., 2642
**Lim, S.-T.** See Kweon, D.-K., 2197
**Lin, C.-C.** See Shieh, Y.-T., 591
**Lin, J.**
—; Winkelman, C.; Worley, S. D.; Broughton, R. M.; Williams, J. F.: Antimicrobial Treatment of Nylon, 943
**Lin, K.-F.** See Denq, B.-L., 1161
**Lin, M.-F.**
—; Shu, Y.-C.; Tsen, W.-C.; Chuang, F.-S.: Differential Scanning Calorimetry Analysis of Silicon-Containing and Phosphorus-Containing Segmented Polyurethane. I—Thermal Behaviors and Morphology, 3489
**Lin, M.-T.** See Shu, Y.-C., 3502
**Lin, W.-H.** See Chung, T.-S., 3552
**Lin, Y.-H.** See Lee, W.-F., 1360
**Ling, J.** See Chen, X., 2696
**Liotta, C. L.** See Connor, D. M., 1675
**Liria, C. W.** See Stevani, C. V., 1549
**Liu, C.-M.** See Shieh, Y.-T., 1799
**Liu, G.** See Yang, L., 2455
**Liu, H.** See Xiao, C., 1049
**Liu, H.-H.** See Sun, Y.-M., 2754
**Liu, J.**
—; Li, L.; Cheng, J.; Wang, L.; Ye, L.: Molecular Weight and Distribution of Copolymer of Lignin-Phenol in Copolymerization Catalyzed by Peroxidase, 2408
—; See Chen, G., 782
**Liu, J.-H.**
—; Shi, C.-H.; Chen, W.-T.: Crosslinkable Positive-Tone Photoresist Comprising Polymers with Pendant Carboxyl Groups, 1014
—; Shih, J.-C.; Shih, C.-H.; Chen, W.-T.: Preparation and Characterization of Copolymers Containing (+)-Bornyl Methacrylate and Their Racemate for Positive-Tone Photoresist, 3538
**Liu, L.**
—; Huang, Y. D.; Zhang, Z. Q.; Jiang, B.; Nie, J.: Ultrasonic Modification of Aramid Fiber–Epoxy Interface, 2764
**Liu, S.** See Wang, H., 2013
**Liu, W.** See Qi, C., 2964
**Liu, Z.** See Hu, X., 1481
**Lo, Y.-W.** See Chen, C.-H., 3022
**Lo Balbo, A.**
—; Hurst, J.; Dall'Orto, V. C.; Rezzano, I.: Solid-Phase Extraction of Phenolic Compounds with Poly Metalloprotoporphyrin IX], 3038
**Lona, L. M. F.** See Fernandes, F. A. N., 321
**Lopes, L.** See Da Silva, A. L. N., 3530
**Lopez, J.** See Jimenez, A., 1881
**López Manchado, M. A.**
—; Biagiotti, J.; Kenny, J. M.: Rheological Behavior and Processability of Polypropylene Blends with Rubber Ethylene Propylene Diene Terpolymer, 1
—; Torre, L.; Kenny, J. M.: Kinetic Crystallization of Polypropylene in Ternary Composites Based on Fiber-Reinforced PP-EPDM Blends, 1063
**Lotti, N.**
—; Finelli, L.; Fiorini, M.; Righetti, M. C.; Munari, A.: Synthesis and Characterization of Poly(butylene terephthalate-*co*-triethylene terephthalate) Copolyesters, 981
—; See Finelli, L., 3545
**Low, I. M.**
—; Shi, C.; Hussain, M.; Yamaguch, S.; Niihara, K.: Indentation Responses of a Graded Zirconium Phosphate–Filled Epoxy Resin, 931
**Lu, J.** See Zhang, Q., 2249
**Lu, M. G.**
—; Shim, M. J.; Kim, S. W.: Effects of Moisture on Properties of Epoxy Molding Compounds, 2253
**Lu, Y.** See Tang, S., 1985; Xiao, C., 882, 1049
**Luisier, A.**
—; Bourban, P.-E.; Månson, J.-A. E.: Time–Temperature–Transformation Diagram for Reactive Processing of Polyamide 12, 963
**Luo, Y.** See Pan, Y., 2843
**Luyt, A. S.** See Krupa, I., 973
**Lyoo, W. S.**
—; Kim, J. H.; Yoon, W. S.; Kim, D. H.; Choi, J. H.; Ji, B. C.; Lee, C. J.: Effects of Polymer Concentration and Zone Drawing on the Physical Properties of Poly(*N*-vinylcarbazole) Thick Film, 1297
—; Lee, H. S.; Choi, J. H.; Ji, B. C.; Han, S. S.; Koo, K.; Kim, S. S.; Kim, J. H.; Lee, J.-S.; Son, T. W.; Yoon, W. S.: Effect of Zone Drawing on the Structure and Properties of Melt-Spun Poly(trimethylene terephthalate) Fiber, 3471

**Ma, H.** See Qian, Y., 662
**Machado, A. V.**
—; Covas, J. A.; Van Duin, M.: Monitoring Polyolefin Modification Along the Axis of a Twin Screw Extruder. I. Effect of Peroxide Concentration, 58
**Madras, G.**
—; Chattopadhyay, S.: Effect of Hydrogen Donor on the Thermal Degradation of Poly(vinyl acetate) in Solution, 1996
**Mahapatra, A. P.**
—; Samal, R. K.; Samal, R. N.; Roy, G. S.: Evaluation of Thermo-Viscosity Parameters of Dextran in Polar and Nonpolar Solvent, 440
**Mahmoud, G. A.** See Hegazy, E. A., 849
**Mahmoud, M. A.** See Ragab, A. R., 991
**Mai, K.**
—; Li, Z.; Qiu, Y.; Zeng, H.: Thermal Properties and Flame Retardance of $Al(OH)_3$/Polypropylene Composites Modified by

Polypropylene Grafting with Acrylic Acid, 2679
—; See Wang, K., 78
**Maiti, S.** See Roy, S., 785
**Majumdar, A.**
—; Kale, D. D.: Properties of Films Made from Ternary Blends of Metallocene and Conventional Polyolefins, 53
**Mak, A. F. T.** See Yuan, X., 251
**Makhaeva, E. E.** See Nasimova, I. R., 2838, 3238
**Makitra, R.**
—; Pyrih, Y.; Sagladko, E.; Turovskiy, A.; Zaikov, G.: Generalization of Polymer/Organic Solvent Interaction Processes by Means of Linear Polyparameter Equations. I. Swelling of Polyethylene, 3133
**Malhotra, B. D.** See Sharma, A. L., 1460
**Mallette, J. G.**
—; Quej, L. M.; Marquez, A.; Manero, O.: Carbon Black-Filled PET/HDPE Blends: Effect of the CB Structure on Rheological and Electric Properties, 562
**Mandel, F. S.** See Conway, S. E., 2642
**Mandrand, B.** See Veron, L., 3327
**Manero, O.** See Mallette, J. G., 562
**Månson, J.-A. E.** See Luisier, A., 963
**Mantecón, A.** See Ruiz, J., 1444
**Mao, C.-F.** See Chen, C.-H., 3022
**Mao, Z.**
—; Yang, C. Q.: IR Spectroscopy Study of Cyclic Anhydride as Intermediate for Ester Crosslinking of Cotton Cellulose by Polycarboxylic Acids. V. Comparison of 1,2,4-Butanetricarboxylic Acid and 1,2,3-Propanetricarboxylic Acid, 2142
**Marieta, C.** See Stefani, P. M., 889
**Markovic, S.**
—; Dunjic, B.; Zlatanic, A.; Djonlagic, J.: Dynamic Mechanical Analysis Study of the Curing of Phenol-Formaldehyde Novolac Resins, 1902
**Marks, D. W.**
—; Li, F.; Pacha, C. M.; Larock, R. C.: Synthesis of Thermoset Plastics by Lewis Acid Initiated Copolymerization of Fish Oil Ethyl Esters and Alkenes, 2001
**Marquez, A.** See Mallette, J. G., 562
**Martínez-Mateo, I.** See Bermúdez, M. D., 2426
**Martínez-Nicolás, G.** See Bermúdez, M. D., 2426
**Masař, B.**
—; Vlček, P.; Kříž, J.: The Potential of Cu(I)Cl/2,2′-Bipyridine Catalysis in a Triblock Copolymer Preparation by Atom Transfer Radical Polymerization, 3514
**Mascia, L.**
—; Ophir, A.: Toughness Enhancement of Poly(ethylene terephthalate) with Functionalized Ultrahigh Molecular Weight Polyethylene, 2972
**Mashelkar, R. A.** See Vaidya, A. A., 1075
**Masters, S. J.** See Ansell, C. W. G., 3321
**Matsuda, S.** See Akimoto, H., 1712
**Matsui, K.** See Matsuyama, H., 936
**Matsumoto, A.**
—; Nishizawa, K.; Yamashita, Y.; Morita, T.; Aota, H.: Electron Spin Resonance Spectroscopic Studies on Microheterogeneity of Crosslinked Polymers. IV. Correlation between Void Evaluation of Crosslinked Resin and Microgelation in Monomethylacrylate/Dimethacrylate Copolymerizations, 1187
**Matsuno, Y.** See Kawahara, H., 128
**Matsuyama, H.**
—; Teramoto, M.; Matsui, K.; Kitamura, Y.: Preparation of Poly(acrylic acid)/Poly(vinyl alcohol) Membrane for the Facilitated Transport of $CO_2$, 936
**Matynia, T.** See Gawdzik, B., 2062
**Matzinos, P.** See Bikiaris, D., 701
**Mazzroua, A.**
—; Mostafa, N.; Gomaa, E.; Mohsen, M.: The Use of Positron Annihilation Lifetime Technique to Study the Effect of Doping Metal Salts on Polyhydroxamic Acid Polymers, 2102
**McCormick, A. V.** See Lei, H., 1000
**McGill, W. J.** See Van Der Merwe, M. J., 2565, 2573, 2587
**McHugh, M. A.** See Conway, S. E., 2642
**McKenna, G. B.** See Bradley, G. L., 837
**McKnight, S. H.** See Sands, J. M., 530
**Meier, G. B.**
—; Weickert, G.; van Swaaij, W. P. M.: Comparison of Gas- and Liquid-Phase Polymerization of Propylene with Heterogeneous Metallocene Catalyst, 1193
**Meng, Q.**
—; Huang, D.; Xiang, L.; Wei, S.: Synthesis and Characterization of Poly(1,4-dihydroxyanthraquinone terephthalate), 2246
**Meng, Y. Z.**
—; Tjong, S. C.: Facile Synthesis and Properties of Semicrystalline Copoly(Arylene Ether Ketone) Containing Hydroquinone and Phthalazinone, 2687
**Mi, F.-L.**
—; Sung, H.-W.; Shyu, S.-S.: Release of Indomethacin from a Novel Chitosan Microsphere Prepared by a Naturally Occurring Crosslinker: Examination of Crosslinking and Polycation–Anionic Drug Interaction, 1700
**Michálek, J.** See Jóna, E., 2936
**Michálková, D.** See Fortelný, I., 570
**Michelin, P.** See Devos, P., 1848
**Michielsen, S.**
—; Aberrations in Confocal Spectroscopy of Polymeric Materials: Erroneous Thicknesses and Intensities, and Loss of Resolution, 1662

**Millan, E. J.** See Ansell, C. W. G., 3321
**Min, B. R.** See Kim, J. H., 3481
**Min, K. E.** See Huh, M. W., 2769; Kim, D. J., 1115
**Min, Y.** See Jun, L., 3578
**Ming, L.** See Shi, G., 116
**Miranda, M. T. M.** See Stevani, C. V., 1549
**Mironi-Harpaz, I.**
—; Narkis, M.: Electrical Behavior and Structure of Polypropylene/Ultrahigh Molecular Weight Polyethylene/Carbon Black Immiscible Blends, 104
**Mitomo, H.** See Wach, R. A., 3030
**Mohd. Ishak, Z. A.**
—; Yow, B. N.; Ng, B. L.; Khalil, H. P. S. A.; Rozman, H. D.: Hygrothermal Aging and Tensile Behavior of Injection-Molded Rice Husk-Filled Polypropylene Composites, 742
**Mohsen, M.** See Mazzroua, A., 2102
**Monakov, Y. B.** See Kabal'nova, N. N., 875
**Mondragon, I.** See Stefani, P. M., 889
**Monge, Th.** See Grepinet, B., 3149
**Montero, G. A.** See Stauffer, T. C., 1107
**Moon, S.-Y.**
—; Three-Component Photoresists Containing Thermally Crosslinkable Vinyl Ether Derivatives, 3399
**Moreno, J.** See Del Valle, M. A., 2019; Díaz, F. R., 822
**Morin, D.**
—; Zhao, Y.; Prud'Homme, R. E.: Chain Orientation Resulting from the Crystallization Under Strain of Poly(ϵ-caprolactone) in Miscible Blends with Poly(styrene-*co*-maleic anhydride), 1683
**Morita, T.** See Matsumoto, A., 1187
**Moschiar, S. M.** See Stefani, P. M., 889
**Mosleh, S.** See Ramadan, A. M., 2318
**Mostafa, N.** See Mazzroua, A., 2102
**Mourey, T. H.** See Balke, S. T., 370
**Mülhaupt, R.** See Borsig, E., 2615; Nitz, H., 1972
**Mullagaliev, I. R.** See Kabal'nova, N. N., 875
**Muller, G.** See Dubois, I., 2480
**Munari, A.** See Finelli, L., 3545; Lotti, N., 981
**Murakami, A.** See Akimoto, H., 1712
**Muramatsu, H.** See Tsuji, H., 2151
**Murinov, K. Y.** See Kabal'nova, N. N., 875
**Mustafa, A. I.** See Rahman, M. M., 1858
**Mutlu, M.** See Biederman, H., 1341
**Mutlu, S.** See Biederman, H., 1341

**Nachane, R. P.** See Hussain, G. F. S., 2563
**Nair, S. V.**
—; Donovan, J. A.: Creep Enhanced Adsorbtion of Water or Aqueous Zinc Chloride Solution Increases the Creep Rate of Nylon 6,6, 494
**Nakane, K.**
—; Ogihara, T.; Ogata, N.; Kurokawa, Y.: Entrap-Immobilization of Invertase on Composite Gel Fiber of Cellulose Acetate and Zirconium Alkoxide by Sol–Gel Process, 2084
**Nakanishi, K.** See Sakiyama, T., 667
**Nakason, C.**
—; Kaesman, A.; Homsin, S.; Kiatkamjornwong, S.: Rheological and Curing Behavior of Reactive Blending. I. Maleated Natural Rubber—Cassava Starch, 2803
**Nakayama, M.** See Patil, R. C., 2661
**Nam, J.**
—; Park, Y. H.: Morphology of Regenerated Silk Fibroin: Effects of Freezing Temperature, Alcohol Addition, and Molecular Weight, 3008
**Namazi, H.**
—; Assadpour, A.; Pourabbas, B.; Entezami, A.: Polycondensation of Bis(cyanoacetate) and *a*, 10*b*Dihydrobenzofuro 2,3-*b*]benzofuran-2,9-dicarbaldehyde via Knoevenagel Reaction: Synthesis of Donor–Acceptor Polymers Containing Shoulder-to-Shoulder Main Chains, 505
**Nanjundan, S.** See Senthilkumar, U., 96
**Narkis, M.** See Mironi-Harpaz, I., 104; Sluszny, A., 1429
**Narkis, N.** See Sluszny, A., 1429
**Nascimento, R. S. V.** See Perruso, C. R., 2856
**Nasimova, I. R.**
—; Evlanova, N. F.; Makhaeva, E. E.; Khokhlov, A. R.: Slightly Crosslinked Poly(*N*-vinylcaprolactam) Gels as the Media for Growth of Copper(II) Sulfate Pentahydrate Crystals, 2838
—; Makhaeva, E. E.; Khokhlov, A. R.: Poly(*N*-Vinylcaprolactam) Gel/Organic Dye Complexes as Sensors for Metal Ions in Aqueous Salt Solutions, 3238
**Nasir, M.** See Ratnam, C. T., 1914, 1926
**Naskar, N.** See Ghosh, A. K., 800
**Nayak, B. R.**
—; Singh, R. P.: Development of Graft Copolymer Flocculating Agents Based on Hydroxypropyl Guar Gum and Acrylamide, 1776
**Nazábal, J.** See García, M., 121
**Nazockdast, H.** See Goharpey, F., 2531
**Neto, A. A.** See Perruso, C. R., 2856
**Neumann, R.** See Perruso, C. R., 2856
**Ng, B. L.** See Mohd. Ishak, Z. A., 742
**Ng, C. N.** See Li, T. Q., 1420
**Ng, S.** See Bai, X.-L., 3083
**Ngolemasango, F.** See Ehabe, E., 957
**Nie, J.** See Liu, L., 2764
**Niesten, M. C. E. J.**
—; Bosch, H.; Gaymans, R. J.: Influence of Extenders on Thermal and Elastic Properties of Segmented Copolyetheresteraramides, 1605

—; Gaymans, R. J.: Comparison of Properties of Segmented Copolyetheresteramides Containing Uniform Aramid Segments with Commercial Segmented Copolymers, 1372
**Niihara, K.** See Low, I. M., 931
**Nikolov, Al.** See Kostov, G., 2626
**Ninan, K. N.** See Reghunadhan Nair, C. P., 3371
**Nirmala, P. V.** See Anbarasan, R., 468
**Nishizawa, K.** See Matsumoto, A., 1187
**Nitz, H.**
—; Semke, H.; Landers, R.; Mülhaupt, R.: Reactive Extrusion of Polycaprolactone Compounds Containing Wood Flour and Lignin, 1972
**Nobrega, R.** See Pereira, C. C., 908
**Nogueira, R. F.**
—; Tavares, M. I. B.: Carbon-13 Nuclear Magnetic Resonance Investigation of Styrene–α-Methylstyrene Copolymers, 261
**Noh, S.-T.** See Kweon, J.-O., 2471
**Nomura, H.** See Koda, S., 2089
**Norimoto, M.** See Obataya, E., 3338
**Nugay, N.** See Bokobza, L., 215
**Nunes, R. C. R.** See Perruso, C. R., 2856

**Obataya, E.**
—; Norimoto, M.; Tomita, B.: Mechanical Relaxation Processes of Wood in the Low-Temperature Range, 3338
**Ogata, N.** See Nakane, K., 2084
**Ogihara, T.** See Nakane, K., 2084
**Ogura, H.** See Kawahara, H., 128
**Ogura, K.** See Patil, R. C., 2661
**Oh, K. W.**
—; Kim, S. H.; Kim, E. A.: Improved Surface Characteristics and the Conductivity of Polyaniline–Nylon 6 Fabrics by Plasma Treatment, 684
**Ohnishi, K.** See Kawahara, H., 128
**Ohta, Y.**
—; Kaji, A.; Sugiyama, H.; Yasuda, H.: Structural Analysis During Creep Process of Ultrahigh-Strength Polyethylene Fiber, 312
**Okada, M.**
—; Yamada, M.; Aoi, K.: Biodegradable Polymers Based on Renewable Resources, V. Synthesis and Biodegradation Behavior of Poly(ester amide)s Composed of 1,4 : 3,6-Dianhydro-D-glucitol, α-Amino Acid, and Aliphatic Dicarboxylic Acid Units, 2721
**Okaniwa, M.**
—; Suzuki, M.: Grafted Stock Synthesis of ABS at the Ultimate High Ratio of Polybutadiene to Poly(styrene-*co*-acrylonitrile), 3462
**Olayo, R.** See Castillo-Ortega, M. M., 1498
**Oliveira, C. M. F.** See Costa, D. A., 2556
**Oliveira, J. V.** See Dariva, C., 3044
**Olkhov, Y. A.** See Jurkowskii, B., 3439
**Onal, Y.** See Gultek, A., 512
**Ondrušová, D.** See Jóna, E., 2936
**Ono, H.** See Iijima, T., 2352
**Opazo, A.** See Díaz, F. R. °, 822
**Ophir, A.** See Mascia, L., 2972
**Osorio-Galindo, M.**
—; Iborra-Clar, A.; Alcaina-Miranda, I.; Ribes-Greus, A.: Characterization of Poly(dimethylsiloxane)-Poly(methyl hydrogen siloxane) Composite Membranes for Organic Water Pervaporation Separation, 546
**Ou, Y.**
—; Huang, Q.; Chen, J.: Degradation of New Cellulose-Based Complex Material, 809
**Özkara, Ş.** See Saraç, A. S., 1410
**Özkar, S.** See Keskin, S., 918

**Pacha, C. M.** See Marks, D. W., 2001
**Pajtášová, M.** See Jóna, E., 2936
**Pan, Y.**
—; Fu, W.; Xue, F.; Luo, Y.; Gu, J.: Miscibility and Crystallization Behavior of the Solution-Blended Sulfonated Poly(phenylene oxide)/Poly(styrene-co-4-vinyl pyridine) Blend, 2843
**Pan, Z.** See Zhao, J., 719, 730
**Panayiotou, C.** See Bikiaris, D., 701
**Pantani, R.**
—; Titomanlio, G.: Description of PVT Behavior of an Industrial Polypropylene–EPR Copolymer in Process Conditions, 267
**Paolpi, M.**
—; Drouet-Fleurizelle, L.; Lacabanne, C.: Characterization of Structural Heterogeneity of Polyurethane Coatings, 2786
**Papaspyrides, C. D.** See Poulakis, J. G., 91
**Park, D.-W.** See Kim, M.-R., 2735; Park, S.-Y., 2161
**Park, H. C.** See Kim, J. H., 3481
**Park, H.-S.**
—; Yang, I.-M.; Wu, J.-P.; Kim, M.-S.; Hahm, H.-S.; Kim, S.-K.; Rhee, H.-W.: Synthesis of Silicone–Acrylic Resins and Their Applications to Superweatherable Coatings, 1614
**Park, J.-K.** See Kim, C.-H., 1507
**Park, K.-Y.** See Bae, T.-Y., 1056
**Park, L. S.** See Huh, M. W., 2769; Kim, D. J., 1115
**Park, S.-J.** See Kwak, G.-H., 646
**Park, S.-Y.**
—; Lee, H.-S.; Ha, C.-S.; Park, D.-W.: Synthesis of Poly(2-oxo-1,3-dioxolane-4-yl) Methyl Methacrylate by Polymer Reaction of Carbon Dioxide and Miscibility of Its Blends with Copolymers of Methyl Methacrylate and Ethyl Acrylate, 2161
**Park, Y. H.** See Kweon, H., 2271; Nam, J., 3008
**Paronen, M.** See Walsby, N., 1572
**Patir, S.** See Duru, P. E., 197
**Patel, A. C.**
—; Brahmbhatt, R. B.; Sarawade, B. D.; Devi, S.: Morphological and Mechanical Properties of PP/ABS Blends Compatibilized with PP-*g*-acrylic Acid, 1731
**Pater, J. T. M.** See Shimizu, F., 1035
**Patil, R. C.**
—; Aoyanagi, T.; Nakayama, M.; Ogura, K.: Preparation and Characterization of Conducting

Polymer Coating on ABS Substrate, 2661
**Payne, J. A.** See Lei, H., 1000
**Pegoretti, A.** See Fambri, L., 1216
**Pekcan, Ö.**
—; Kaya, D.: Monomer Consumption Rates During Gelation at Various Temperatures: A Fast Transient Fluorescence Study, 3161
**Pekel, N.**
—; Şahiner, N.; Güven, O.: Use of Amidoximated Acrylonitrile/*N*-Vinyl 2-Pyrrolidone Interpenetrating Polymer Networks for Uranyl Ion Adsorption from Aqueous Systems, 2324
**Penati, A.** See Fambri, L., 1216
**Peng, Y.** See Li, W., 333
**Peng, Z.** See Zhang, X., 831; Zhong, J.-P., 1305
**Pereira, C. C.**
—; Souza, J. N. M.; Nobrega, R.; Borges, C. P.: Hollow Fiber Formation Using Lewis Acid : Base Complex in the Polymer Solution, 908
**Perng, L.-H.**
—; Comparison of Thermal Degradation Characteristics of Poly(arylene sulfone)s Using Thermogravimetric Analysis/Mass Spectrometry, 2387
**Perruso, C. R.**
—; Neto, A. A.; Neumann, R.; Nunes, R. C. R.; De Araújo Fonseca, M. V.; Nascimento, R. S. V.: Oil Shale Solid Waste Recycling in the Development of New Silica Fillers for Elastomeric Composites, 2856
**Pesetskii, S. S.** See Jurkowskii, B., 3439
**Petrasko, B.** See Tobing, S., 2109
**Pfeiffer, K.** See Heinze, Th., 2036
**Pfromm, P. H.** See Carr, W. W., 2399
**Picton, L.** See Dubois, I., 2480
**Pientka, Z.** See Schauer, J., 134
**Pillai, P. V.** See Sasidharan, K. K., 3141
**Pinto, J. C.** See Dariva, C., 3044
**Pizzi, A.** See Garnier, S., 1634, 3220; Properzi, M., 2821
**Pla, F.** See Grepinet, B., 3149
**Podzimek, S.**
—; Vlcek, T.; Johann, C.: Characterization of Branched Polymers by Size Exclusion Chromatography Coupled with Multiangle Light Scattering Detector. I. Size Exclusion Chromatography Elution Behavior of Branched Polymers, 1588
**Poh, B. T.**
—; Ismail, H.; Quah, E. H.; Chin, P. L.: Cure and Mechanical Properties of Filled SMR L/ENR 25 and SMR L/SBR Blends, 47
**Popa, G.** See Dumitrascu, N., 2419
**Poulakis, J. G.**
—; Papaspyrides, C. D.: Dissolution/Reprecipitation: A Model Process for PET Bottle Recycling, 91
**Pourabbas, B.** See Namazi, H., 505
**Prasassarakich, P.** See Thiraphattaraphun, L., 428
**Prathapan, S.** See Sulekha, P. B., 2183
**Prayoonchatphan, N.** See Sirisinha, C., 3198
**Pritzker, M. D.** See Tantavichet, N., 1493
**Properzi, M.**
—; Pizzi, A.; Uzielli, L.: Influence of Preparation Parameters on the CHT Curing Diagrams of MUF Polycondensation Resins (Note), 2821
**Prud'Homme, R. E.** See Morin, D., 1683
**Pyrih, Y.** See Makitra, R., 3133

**Qi, C.**
—; Hu, Y.; Ji, G.; Liu, W.; Yan, F.; Zheng, X.: Influence of Isomer Ratio and Ring Substituents in Decomposition Activation Energies of $\alpha,\alpha,\alpha',\alpha'$-Tetrasubstituted Dibenzyls, 2964
**Qi, M.** See Katritzky, A. R., 85
**Qian, J. W.**
—; Zhou, G. H.; An, Y. L.: Ultrasonic Disassociation of EVA Random Copolymer in Dilute Solutions, 2798
**Qian, Y.**
—; Dono, K.; Huang, J.; Ma, H.: Ring-Opening Metathesis Polymerization of Dicyclopentadiene Catalyzed by Titanium Tetrachloride Adduct Complexes with Oxygen-Containing Ligands, 662
**Qiao, J.** See Chen, X., 2696
**Qin, D.-Q.**
—; Qin, S.-H.; Qiu, K.-Y.: A Copper-Based Reverse ATRP Process for the Living Radical Polymerization of Methyl Methacrylate, 2237
**Qin, S.-H.** See Qin, D.-Q., 2237
**Qiu, G.** See Katritzky, A. R., 85
**Qiu, K.-Y.** See Qin, D.-Q., 2237
**Qiu, Y.** See Mai, K., 2679
**Qu, B.** See Wang, Z., 206
**Qu, J.-L.** See Zhong, J.-P., 1305
**Quah, E. H.** See Poh, B. T., 47
**Quej, L. M.** See Mallette, J. G., 562

**Radhakrishnan, G.** See Sriram, V., 813
**Ragab, A. R.**
—; Mahmoud, M. A.; Khorshied, S. A.: Yielding of Commercial Poly(vinyl chloride) Pipe Material, 991
**Rahman, M. M.**
—; Khan, M. A.; Uddin, M. K.; Idriss Ali, K. M.; Mustafa, A. I.: Effect of $CaCO_3$ on the Performance of Partex Surface Modification by Ultraviolet Radiation Curing Method, 1858
**Rajammal, G.** See Sasidharan, K. K., 3141
**Rajpoot, M.** See Bajpai, A. K., 1238
**Rajulu, A. V.**
—; Reddy, R. L.; Rao, G. B.; He, J.; Zhang, J.: Miscibility Study of Cellulose Acetate/Carboxylated Poly(vinyl chloride) Blend in Cyclohexanone by Viscosity, Ultrasonic Velocity, Refractive Index, and Polarizing Microscopic Methods, 557
**Ramadan, A. M.**
—; Mosleh, S.; Gawish, S. M.: Grafting and Quaternization of 2-(Dimethylamino)Ethyl

Methacrylate onto Polyamide-6 Fabric Pretreated with Acetone, 2318
**Ramasami, T.** See Sekaran, G., 1567
**Ramaswamy, R.** See Achary, P. S., 2597
**Rao, G. B.** See Rajulu, A. V., 557
**Rao, R. M. V. G. K.** See Kumar, A. A., 38, 2330
**Rathna, G. V. N.**
—; Damodaran, S.: Swelling Behavior of Protein-Based Superabsorbent Hydrogels Treated with Ethanol, 2190
**Ratnam, C. T.**
—; Nasir, M.; Baharin, A.; Zaman, K.: Electron-Beam Irradiation of Poly(vinyl chloride)/Epoxidized Natural Rubber Blends in Presence of Trimethylolpropane Triacrylate, 1926
—; Nasir, M.; Baharin, A.; Zaman, K.: Evidence of Irradiation-Induced Crosslinking in Miscible Blends of Poly(vinyl chloride)/Epoxidized Natural Rubber in Presence of Trimethylolpropane Triacrylate, 1914
**Ray, A. K.** See Zhou, F., 1951
**Ray, W. H.** See Chakravarti, S., 1451, 2901; Debling, J. A., 3085
**Reading, M.** See Song, M., 2136
**Reddy, R. L.** See Rajulu, A. V., 557
**Reghunadhan Nair, C. P.**
—; Bindu, R. L.; Ninan, K. N.: Condensation–Addition-Type Resole Resins with Phenyl Ethynyl Functions: Synthesis, Characterization, and Thermal Properties, 3371
**Revol, M.** See Veron, L., 3327
**Rezzano, I.** See Lo Balbo, A., 3038
**Rhee, H.-W.** See Park, H.-S., 1614
**Ribes-Greus, A.** See Osorio-Galindo, M., 546
**Rich, J.** See Karjalainen, T., 2118
**Righetti, M. C.** See Finelli, L., 3545; Lotti, N., 981
**Rivas, B. L.**
—; Seguel, G. V.; Geckeler, K. E.: Poly(styrene-*alt*-maleic acid)–Metal Complexes with Divalent Metal Ions. Synthesis, Characterization, and Physical Properties, 1310
**Rives, B.** See Devos, P., 1848
**Robin, J. J.** See Torres, N., 581, 2377
**Rocha, M. C. G.** See Da Silva, A. L. N., 3530; Guimarães, M. J. O. C., 1991
**Rodríguez, D. E.** See Castillo-Ortega, M. M., 1498
**Rosa, V. M.**
—; Felisberti, M. I.: Unsaturated Polyester Resin Modified with Poly(organosiloxanes). I. Preparation, Dynamical–Mechanical Properties, and Impact Resistance, 3272
—; Karger-Kocsis, J.; Felisberti, M. I.: Unsaturated Polyester Resin Modified with Poly(organosiloxanes). II. Acoustic Emission Study on Glass-Fiber-Reinforced Resin, 3280
**Roy, G. S.** See Mahapatra, A. P., 440
**Roy, S.**
—; Maiti, S.: Design of Multiple Flame-Retardant Polymers, 785
**Rozman, H. D.**
—; Tan, K. W.; Kumar, R. N.; Abubakar, A.: Preliminary Studies on the Use of Modified ALCELL Lignin as a Coupling Agent in the Biofiber Composites, 1333
—; See Mohd. Ishak, Z. A., 742
**Ruiz, J.**
—; Mantecón, A.; Cádiz, V.: Synthesis and Swelling Characteristics of Acid-Containing Poly(Vinyl Alcohol) Hydrogels, 1444
**Ruiz, M.**
—; Sastre, A. M.; Zikan, M. C.; Guibal, E.: Palladium Sorption on Glutaraldehyde-Crosslinked Chitosan in Fixed-Bed Systems, 153
**Ryttel, A.**
—; Copolymers of Chosen Alkyl Methacrylates with *N*-Phenylmaleimide and *N*-(4-Halogenphenyl)maleimides: A UV-Aging Study, 3244
**Ryu, J.-H.** See Choi, J.-H., 924
**Ryu, S. C.** See Jung, H. C., 486

**Sagladko, E.** See Makitra, R., 3133
**Şahiner, N.** See Pekel, N., 2324
**Sahoo, S.** See Gupta, K. C., 2287
**Saikia, C. N.** See Das, A., 2633
**Sainte-Beuve, J.** See Ehabe, E., 957
**Saito, F.** See Zhang, Q., 2249
**Sakai, Y.** See Hirayama, K., 3378
**Sakiyama, T.**
—; Takata, H.; Toga, T.; Nakanishi, K.: pH-Sensitive Shrinking of a Dextran Sulfate/Chitosan Complex Gel and Its Promotion Effect on the Release of Polymeric Substances, 667
**Samal, R. K.** See Mahapatra, A. P., 440
**Samal, R. N.** See Mahapatra, A. P., 440
**Sánchez, C. O.** See Díaz, F. R. ", 822
**Sanda, F.** See Kim, M., 2347
**Sands, J. M.**
—; Jensen, R. E.; Fink, B. K.; McKnight, S. H.: Synthesis and Properties of Elastomer-Modified Epoxy–Methacrylate Sequential Interpenetrating Networks, 530
**Sankaran, S.** See Karthikeyan, C. S., 405
**Saraç, A. S.**
—; Özkara, Ş.; Diler, Z. İ.: Electroinduced Copolymerization of Acrylonitrile–Polyethylene Glycol Compared with Chemical Copolymerization, 1410
—; Soydan, A. B.; Bülbül, H.: Electro-Induced Polymerization of Acrylamide Initiated by the Potassium Permanganate–Titriplex VI Redox System, 1526
**Saraswathi, R.** See Abthagir, P. S., 2127
**Sarawade, B. D.** See Patel, A. C., 1731
**Sarkar, A.** See Sarkar, N., 2923
**Sarkar, N.**
—; Sarkar, A.; Sivaram, S.: Isomerization Behavior of Aromatic Azo Chromophores

Bound to Semicrystalline Polymer Films, 2923
**Sarraf, A. G.**
—; Tissot, H.; Tissot, P.; Alfonso, D.; Gurny, R.; Doelker, E.: Influence of Hot-Melt Extrusion and Compression Molding on Polymer Structure Organization, Investigated by Differential Scanning Calorimetry, 3124
**Sasidharan, K. K.**
—; Joseph, R.; Rajammal, G.; Pillai, P. V.; Gopalakrishnan, K. S.: Studies on the Dipping Characteristics of RVNRL and NR Latex Compounds, 3141
**Sastre, A. M.** See Ruiz, M., 153
**Saxena, V.** See Sharma, A. L., 1460
**Schafer, F.-U.** See Song, M., 2439
**Schauer, J.**
—; Albrecht, W.; Weigel, T.; Kůdela, V.; Pientka, Z.: Microporous Membranes Prepared from Blends of Polysulfone and Sulfonated Poly(2,6-dimethyl-1,4-phenylene oxide), 134
**Schiraldi, D. A.** See Connor, D. M., 1675
**Schork, F. J.** See Wu, X. Q., 1691
**Schreiber, H. P.** See Wang, W., 1891
**Schué, F.** See Carlotti, S. J., 2868
**Scranton, A. B.** See Baikerikar, K. K., 3449
**Scriven, L. E.** See Lei, H., 1000
**Seckin, T.** See Gultek, A., 512
**Seguel, G. V.** See Rivas, B. L., 1310
**Sekaran, G.**
—; Thamizharasi, S.; Ramasami, T.: Physicochemical and Thermal Properties of Phenol–Formaldehyde-Modified Polyphenol Impregnate, 1567
**Semke, H.** See Nitz, H., 1972
**Senthilkumar, U.**
—; Balaji, R.; Nanjundan, S.: Copolymerization of 2-(*N*-Phthalimido)ethyl Methacrylate with Glycidyl Methacrylate: Synthesis, Characterization, and Monomer Reactivity Ratios, 96
**Seo, K. H.** See Huh, M. W., 2769; Kim, D. J., 637, 1115, 2443
**Seppälä, J.** See Karjalainen, T., 2118
**Seppälä, J. V.** See Korhonen, H., 176
**Shaaban, A. F.** See Azab, M. M., 3413
**Shafig, R. M.** See Kim, H. S., 1762
**Shanks, R.** See Chen, F., 2227
**Shanks, R. A.** See Cser, F., 340
**Sharma, A. L.**
—; Saxena, V.; Annapoorni, S.; Malhotra, B. D.: Synthesis and Characterization of a Copolymer: Poly(Aniline-*Co*-Fluoroaniline), 1460
**Shen, D.** See Gu, Q., 498
**Shen, J.** See Gao, C., 3523
**Shen, Z.** See Weng, J., 1353
**Shengru, Q.** See Lihong, S., 3268
**Shengwang, F.** See Lihong, S., 3268
**Shereshovets, V. V.** See Kabal'nova, N. N., 875
**Shi, C.** See Low, I. M., 931
**Shi, C.-H.** See Liu, J.-H., 1014
**Shi, G.**
—; Chen, F.; Wu, S.; Zhu, Y.; Hong, X.; Hou, W.; Ming, L.: Polymerization of Chlorofluorocarbon-22 and Acetonitrile, 116
**Shi, Y.**
—; Jabarin, S. A.: Crystallization Kinetics of Poly(ethylene terephthalate)/Poly(ethylene 2,6-naphthalate) Blends, 23
—; Jabarin, S. A.: Glass-Transition and Melting Behavior of Poly(ethylene terephthalate)/Poly(ethylene 2,6-naphthalate) Blends, 11
**Shieh, J.-Y.** See Sun, Y.-M., 2055
**Shieh, Y.-T.**
—; Chen, J.-S.; Lin, C.-C.: Thermal Fractionation and Crystallization Enhancement of Silane-Grafted Water-Crosslinked Low-Density Polyethylene, 591
—; Chuang, H.-C.: DSC and DMA Studies on Silane-Grafted and Water-Crosslinked LDPE/LLDPE Blends, 1808
—; Chuang, H.-C.; Liu, C.-M.: Water Crosslinking Reactions of Silane-Grafted Polyolefin Blends, 1799
—; Liau, J.-S.; Chen, T.-K.: An Investigation of Water Crosslinking Reactions of Silane-Grafted LDPE, 186
**Shih, C.-H.** See Liu, J.-H., 3538
**Shih, J.-C.** See Liu, J.-H., 3538
**Shim, M. J.** See Lee, J. Y., 479; Lu, M. G., 2253
**Shimizu, F.**
—; Pater, J. T. M.; Weickert, G.: Three-Site Mechanism and Molecular Weight: Time Dependency in Liquid Propylene Batch Polymerization Using a $MgCl_2$-Supported Ziegler-Natta Catalyst, 1035
**Shinmura, T.** See Ben Jar, P.-Y., 1316
**Shiraishi, N.** See Lee, S.-H., 243
**Shojaei, A.** See Abbasi, F., 364
**Shonaike, G. O.** See Akimoto, H., 1712
**Shu, Y.-C.**
—; Lin, M.-T.: Differential Scanning Calorimetry Analysis of Silicon-Containing and Phosphorus-Containing Segmented Polyurethane. II Annealing Effect, 3502
—; See Lin, M.-F., 3489
**Shuai, X.**
—; He, Y.; Asakawa, N.; Inoue, Y.: Miscibility and Phase Structure of Binary Blends of Poly(L-lactide) and Poly(vinyl alcohol), 762
**Shun, Y.** See Zhao, R., 3582
**Shyichuk, A. V.**
—; Tokaryk, G. V.: A New Method for Treatment of Sol-Gel Data in Irradiated Polymers, 2621
**Shyu, S.-S.** See Mi, F.-L., 1700
**Shyu, W.-D.** See Yeh, J.-T., 2827
**Siddiq, M.**
—; Wu, C.: Dynamic Light-Scattering Characterization of the Molecular Weight Distribution of Unfractionated Polyimide, 1670
**Silverstein, M. S.** See Sluszny, A., 1429
**Šimon, P.** See Jóna, E., 2936
**Singh, R. P.** See Nayak, B. R., 1776; Tripathy, T., 3296
**Sirisinha, C.**
—; Prayoonchatphan, N.: Study of Carbon Black Distribution in

BR/NBR Blends Based on Damping Properties: Influences of Carbon Black Particle Size, Filler, and Rubber Polarity, 3198
**Sivaram, S.** See Sarkar, N., 2923
**Slavinska, D.** See Biederman, H., 1341
**Sluszny, A.**
—; Silverstein, M. S.; Narkis, N.; Narkis, M.: Silane-Modified PVC Pervaporation Membranes for Bromoform/Water Separation, 1429
**Šňupárek, J.** See Socha, F., 2875
**Socha, F.**
—; Dobáš, I.; Šňupárek, J.: Cyclic Acetals: Synthesis and Polymerization, 2875
**Somers, E. B.** See Denes, A. R., 3425
**Son, T. W.** See Lyoo, W. S., 3471
**Song, K.-G.** See Kim, Y.-H., 793
**Song, M.**
—; Rigid Amorphous Phase and Low Temperature Melting Endotherm of Poly(ethylene terephthalate) Studied by Modulated Differential Scanning Calorimetry, 2779
—; Hourston, D. J.; Grandy, D. B.; Reading, M.: An Application of Micro-Thermal Analysis to Polymer Blends, 2136
—; Hourston, D. J.; Schafer, F.-U.: Correlation Between Mechanical Damping and Interphase Content in Interpenetrating Polymer Networks, 2439
**Sono, K.** See Sugiyama, K., 3056
**Souza, J. N. M.** See Pereira, C. C., 908
**Souza, R. C. R.**
—; Andrade, C. T.: Processing and Properties of Thermoplastic Starch and Its Blends with Sodium Alginate, 412
**Soydan, A. B.** See Saraç, A. S., 1526
**Špaček, J.** See Klásek, A., 1439
**Sperling, L. H.** See Tobing, S., 2109
**Spruiell, J. E.** See Bond, E. B., 229
**Sreenivasan, K.**
—; Effect of Blending Methyl β-Cyclodextrin on the Release of Hydrophobic Hydrocortisone into Water from Polyurethane (Note), 520
**Sridhara, K.**
—; Jain, S. R.: Synthesis and Characterization of Novel Hydroxyl-Terminated N—N–Bonded Resins, 3204
**Sriram, V.**
—; Aruna, P.; Tharanikkarasu, K.; Venkateswarlu, U.; Radhakrishnan, G.: AB Crosslinked Polymers Based on Cationomeric Polyurethane and Poly(methyl methacrylate): Static and Dynamic Mechanical Studies, 813
**Stauffer, T. C.**
—; Venditti, R. A.; Gilbert, R. D.; Kadla, J. F.; Chernyak, Y.; Montero, G. A.: Supercritical Carbon Dioxide Dewaxing of Old Corrugated Containers, 1107
**Stefani, P. M.**
—; Moschiar, S. M.; Aranguren, M. I.; Marieta, C.; Mondragon, I.: Curing of Epoxy–Urethane Copolymers in a Heated Mold: Effect of the Curing Conditions on the Phase-Separation Process, 889
**Stern, T.**
—; Cohn, D.: Surface Tailoring of Biomedical Polymers: An FTIR Study, 2203
**Stevani, C. V.**
—; Liria, C. W.; Miranda, M. T. M.; Bechara, E. J. H.: Cysteic Acid is the Chemical Mediator of Automotive Clearcoat Damage Promoted by Dragonfly Eggs, 1549
**Su, Z.** See An, X., 1175
**Subramanyam, S. V.** See Abraham, D., 1544
**Sudha, M.** See Anbarasan, R., 468
**Sugimura, T.** See Suzuki, A., 600
**Sugiyama, H.** See Ohta, Y., 312
**Sugiyama, K.**
—; Sono, K.: Characterization of Photo- and Thermoresponsible Amphiphilic Copolymers Having Azobenzene Moieties as Side Groups, 3056
**Suh, K.-D.** See Bae, T.-Y., 1056
**Sui, Y.** See Zhang, W., 2814
**Sulekha, P. B.**
—; Joseph, R.; Prathapan, S.: Synthesis and Characterization of Chlorinated Paraffin Wax-Bound Paraphenylenediamine Antioxidant and Its Application in Natural Rubber, 2183
**Sun, G.** See Sun, Y., 617, 1517
**Sun, J.** See Zhao, J., 719, 730
**Sun, K.** See Fan, R., 710; Yang, A., 3117
**Sun, W.** See Weng, J., 1353
**Sun, X.** See Ke, T., 3069
**Sun, X. S.** See Zhong, Z. K., 166
**Sun, Y.**
—; Sun, G.: Novel Regenerable N-Halamine Polymeric Biocides. II. Grafting Hydantoin-Containing Monomers onto Cotton Cellulose, 617
—; Sun, G.: Novel Regenerable N-Halamine Polymeric Biocides. III. Grafting Hydantoin-Containing Monomers onto Synthetic Fabrics, 1517
**Sun, Y.-M.**
—; Liu, H.-H.: Novel Copolyesters Containing Naphthalene Structure III. Copolyesters Prepared from 2,6-Dimethyl Naphthalate, Ethylene Glycol, and 2,2-Dialkyl-1,3-Propanediols, 2754
—; Shieh, J.-Y.: Kinetic and Property Parameters of Poly(ethylene naphthalate) Synthesized by Solid-State Polycondensation, 2055
**Sundholm, F.** See Walsby, N., 1572
**Sung, H.-W.** See Mi, F.-L., 1700
**Sunkel, J. M.** See Forester, J. E., 1817
**Sura, R. K.**
—; Desai, P.; Abhiraman, A. S.: Oriented Crystallization in Fiber Formation: Inferences from the Structure and Properties of Melt Spun Syndiotactic Polypropylene Filaments, 2305
**Suzuki, A.**
—; Sugimura, T.; Kunugi, T.: Mechanical Properties and Superstructure of Isotactic Polypropylene Fibers Prepared

by Continuous Vibrating Zone-Drawing, 600
**Suzuki, M.** See Okaniwa, M., 3462
**Swaels, Ph.** See Grepinet, B., 3149

**Tagle, L. H.** See Del Valle, M. A., 2019
**Taguchi, Y.** See Kimura, I., 675
**Takata, H.** See Sakiyama, T., 667
**Tan, K. W.** See Rozman, H. D., 1333
**Tanaka, H.** See Zhang, X., 2791
**Tanaka, M.** See Kimura, I., 675
**Tang, R.** See Chen, X., 2696
**Tang, S.**
—; Lu, Y.; Zeng, H.: Study on the Redox Adsorptive Properties of Fiber Containing Iso-Thiourea Group toward Au(III), 1985
**Tang, X.** See Jin, J., 350
**Tanrisinibilir, S.** See Akin-Öktem, G., 2670
**Tantavichet, N.**
—; Pritzker, M. D.; Burns, C. M.: Proton Uptake by Poly(2-vinylpyridine) Coatings, 1493
**Tavares, F. W.** See Dariva, C., 3044
**Tavares, M. I. B.** See Nogueira, R. F., 261
**Tawfik, S. Y.**
—; Preparation and Characterization of Some New Unsaturated Polyesters Based on 3,6-Bis(Methoxymethyl) Durene, 3388
**Teramoto, M.** See Matsuyama, H., 936
**Thames, S. F.**
—; Gupta, S.: Synthesis and Characterization of Maleinized-Silylated Low Molecular Weight Guayule Rubber (MASiGR), 754
**Thamizharasi, S.** See Sekaran, G., 1567
**Tharanikkarasu, K.** See Sriram, V., 813
**Thiraphattaraphun, L.**
—; Kiatkamjornwong, S.; Prasassarakich, P.; Damronglerd, S.: Natural Rubber-*g*-Methyl Methacrylate/Poly(methyl methacrylate) Blends, 428
**Thomann, R.** See Borsig, E., 2615
**Tinçer, T.** See Akin-Öktem, G., 2670
**Tissot, H.** See Sarraf, A. G., 3124
**Tissot, P.** See Sarraf, A. G., 3124
**Titomanlio, G.** See Pantani, R., 267
**Tjong, S. C.**
—; Xu, S. A.: Ternary Polymer Composites: PA6,6/Maleated SEBS/Glass Beads, 3231
—; See Meng, Y. Z., 2687
**Tobing, S.**
—; Klein, A.; Sperling, L. H.; Petrasko, B.: Effect of Network Morphology on Adhesive Performance in Emulsion Blends of Acrylic Pressure Sensitive Adhesives, 2109
**Toga, T.** See Sakiyama, T., 667
**Tokaryk, G. V.** See Shyichuk, A. V., 2621
**Tomita, B.** See Obataya, E., 3338
**Tomoi, M.** See Iijima, T., 2352
**Topolkaraev, V.** See Hu, Y., 1624
**Torre, L.** See López Manchado, M. A., 1063
**Torres, N.**
—; Robin, J. J.; Boutevin, B.: Functionalization of High-Density Polyethylene in the Molten State by Glycidyl Methacrylate Grafting, 581
—; Robin, J. J.; Boutevin, B.: Study of Compatibilization of HDPE–PET Blends by Adding Grafted or Statistical Copolymers, 2377
**Trchova, M.** See Biederman, H., 1341
**Tregoüet, Y.** See Del Valle, M. A., 2019
**Tripathy, T.**
—; Singh, R. P.: Characterization of Polyacrylamide-Grafted Sodium Alginate: A Novel Polymeric Flocculant, 3296
**Trzeszczyński, J.** See Dzięciol, M., 3064
**Tsai, M. H.**
—; Whang, W.-T.: Dynamic Mechanical Properties of Polyimide/Poly(silsesquioxane)-Like Hybrid Films, 2500
**Tsen, W.-C.** See Lin, M.-F., 3489
**Tsuji, H.**
—; Muramatsu, H.: Blends of Aliphatic Polyesters. IV. Morphology, Swelling Behavior, and Surface and Bulk Properties of Blends from Hydrophobic Poly(L-lactide) and Hydrophilic Poly(vinyl alcohol), 2151
**Tsukada, M.**
—; Arai, T.; Freddi, G.; Imai, T.; Kasai, N.: Grafting Vinyl Monomers onto Silk (*Bombyx mori*) Using Different Initiators: Properties of Grafted Silk, 1401
**Tsutsuno, N.** See Koda, S., 2089
**Turovskiy, A.** See Makitra, R., 3133
**Tyan, H.-L.**
—; Wu, C.-Y.; Wei, K.-H.: Effect of Montmorillonite on Thermal and Moisture Absorption Properties of Polyimide of Different Chemical Structures, 1742

**Uddin, M. K.** See Rahman, M. M., 1858
**Uemura, Y.** See Yoshida, M., 2490
**Upadhyay, R. D.**
—; Kale, D. D.: Properties of Polypropylene Filled with Synthetic Sodium Aluminum Silicate, 2298
**Urban, M. W.** See Han, Q., 2045
**Usanmaz, A.**
—; Eser, Ö.; Doğan, A.: Thermal and Dynamic Mechanical Properties of γ-Ray-Cured Poly(methyl methacrylate) Used as a Dental-Base Material, 1291
**Uzielli, L.** See Properzi, M., 2821

**Vaidya, A. A.**
—; Lele, B. S.; Kulkarni, M. G.; Mashelkar, R. A.: Creating a Macromolecular Receptor by Affinity Imprinting, 1075
**Van Der Merwe, M. J.**
—; Gradwell, M. H. S.; McGill, W. J.: Crystallization of Vulcanizates. II. Low-Temperature Crystallization as a Function of Extent of Cure for Polybutadiene Vulcanized with Dicumyl Peroxide, Tetramethylthiuram Disulfide, 2-Bisbenzothiazole-2,2′-disulfide, and Zinc–Accelerator Complexes, 2573

—; Gradwell, M. H. S.; McGill, W. J.: Crystallization of Vulcanizates. I. Low-Temperature Crystallization as a Function of Extent of Cure for Polyisoprene Vulcanized with Tetramethylthiuram Disulfide/Sulfur and 2-Bisbenzothiazole-2,2′-disulfide/Sulfur, 2565
—; Gradwell, M. H. S.; McGill, W. J.: Influence of Pendent Groups on the Tensile Properties of Polyisoprene Vulcanizates, 2587
**Van Duin, M.** See Machado, A. V., 58
**van Swaaij, W. P. M.** See Meier, G. B., 1193
**Varma, I. K.** See Jain, P., 390
**Venditti, R. A.** See Stauffer, T. C., 1107
**Venkateswarlu, U.** See Sriram, V., 813
**Veron, L.**
—; Revol, M.; Mandrand, B.; Delair, T.: Synthesis and Characterization of Poly(*N*-Vinyl pyrrolidone-alt-maleic anhydride): Conjugation with Bovine Serum Albumin, 3327
**Vicente, M.** See Laureau, C., 1258
**Vigo, F.**
—; Castellano, M.: Poly(ether ether ketone) Solutions Suitable for Microfiltration Membrane Preparation, 2550
**Vlček, P.** See Masař, B., 3514
**Vlcek, T.** See Podzimek, S., 1588
**Vora, R. H.** See Chung, T.-S., 3552
**Vorster, O. C.** See Garnier, S., 1634
**Vuorimaa, E.** See Li, S., 1474

**Wach, R. A.**
—; Mitomo, H.; Yoshii, F.; Kume, T.: Hydrogel of Biodegradable Cellulose Derivatives. II. Effect of Some Factors on Radiation-Induced Crosslinking of CMC, 3030
**Walsby, N.**
—; Paronen, M.; Juhanoja, J.; Sundholm, F.: Sulfonation of Styrene-Grafted Poly(vinylidene fluoride) Films, 1572
**Wang, B.** See Chang, X., 2656
**Wang, D.** See Liang, G., 2918
**Wang, F.**
—; Apple, T.; Gill, W. N.: Thermal Redistribution Reactions of Blackglas™ Ceramic, 143
**Wang, H.**
—; Liu, S.; Wang, Y.: Immobilization of Chymotrypsin with Interpolymer Complexes of P(TM-*co*-AAm)/PAA, 2013
**Wang, J.** See He, J.-D., 1286; Jin, J., 350
**Wang, J. D.** See Conway, S. E., 2642
**Wang, K.**
—; Mai, K.; Han, Z.; Zeng, H.: Interaction of Self-Nucleation and the Addition of a Nucleating Agent on the Crystallization Behavior of Isotactic Polypropylene, 78
—; See Yang, R., 359
**Wang, L.**
—; Wong, C. P.: Study of Additive-Epoxy Interaction of Thermally Reworkable Underfills, 1868
—; Zhang, P. Y.; Jiang, S.; Feng, L. X.: Study of Ethylene Polymerization Catalyzed by nBu-$Cp_2ZrCl_2$/MAO Catalytic System and Their Polymerization Kinetics, 3186
—; See Liu, J., 2408
**Wang, W.**
—; Liang, H.; Favis, B. D.; Schreiber, H. P.: Surface Modification Strategies for Multicomponent Polymer Systems. III: Effect of Diblock Copolymer-Modified Rutile on the Morphology and Mechanical Properties of LLDPE/PVC Blends, 1891
—; See Jiang, B., 773
**Wang, X.-S.** See Huang, M.-R., 1838
**Wang, Y.** See Wang, H., 2013
**Wang, Z.**
—; Qu, B.; Fan, W.; Huang, P.: Combustion Characteristics of Halogen-Free Flame-Retarded Polyethylene Containing Magnesium Hydroxide and Some Synergists, 206
**Wang, Z.-G.** See Zhang, W., 2814
**Wei, K.-H.** See Tyan, H.-L., 1742
**Wei, S.** See Meng, Q., 2246
**Wei, Y.-C.** See Zhong, J.-P., 1305
**Wei, Z.**
—; Gu, Z.: A Study of One-Bath Alkali–Amine Hydrolysis and Silk-Fibroin Finishing of Polyester Microfiber Crepe Fabric, 1467
**Weick, B. L.**
—; Bhushan, B.: Long-Term Mechanical and Viscoelastic Behavior of Constitutive Polymeric Materials Used for Magnetic Tapes, 1142
**Weickert, G.** See Meier, G. B., 1193; Shimizu, F., 1035
**Weigel, T.** See Schauer, J., 134
**Weinstabl, A.**
—; Binder, W. H.; Gruber, H.; Kantner, W.: Melamine Salts as Hardeners for Urea Formaldehyde Resins, 1654
**Weng, J.**
—; Sun, W.; Jiang, L.; Shen, Z.: Syntheses and Magnetic Properties of Novel Bithiazole-Containing Polymeric Complexes, 1353
**Whang, W.-T.** See Tsai, M. H., 2500
**Wilkes, G. L.** See Johnson, M. B., 2944
**Williams, J. F.** See Lin, J., 943
**Winkelman, C.** See Lin, J., 943
**Won, J.** See Kim, J. H., 3481
**Wong, A. C. L.** See Denes, A. R., 3425
**Wong, C. P.** See Wang, L., 1868
**Woo, B.**
—; Choi, K. Y.; Goranov, K.: The Forced Gas Sweeping Process for Semibatch Melt Polycondensation of Poly(ethylene terephthalate), 1388
**Woo, S. O.** See Kweon, H., 2271
**Wool, R. P.** See Can, E., 69
**Worley, S. D.** See Lin, J., 943
**Wu, C.** See Siddiq, M., 1670
**Wu, C.-Y.** See Tyan, H.-L., 1742
**Wu, D.** See Gu, Q., 498
**Wu, D. Y.** See Bateman, S. A., 3178
**Wu, J.-P.** See Park, H.-S., 1614
**Wu, J.-Y.** See Chan, W.-C., 2849
**Wu, L.** See Gu, Q., 498
**Wu, R.** See Yang, A., 3117

**Wu, S.** See Shi, G., 116
**Wu, X. Q.**
—; Schork, F. J.: Kinetics of Miniemulsion Polymerization of Vinyl Acetate with Nonionic and Anionic Surfactants, 1691
**Wu, Y.** See Zhi, J., 2210

**Xiang, L.** See Meng, Q., 2246
**Xiao, C.**
—; Liu, H.; Lu, Y.; Zhang, L.: Characterization of Poly(vinylpyrrolidone)–Konjac Glucomannan Blend Films, 1049
—; Lu, Y.; Zhang, L. L.: Preparation and Physical Properties of Konjac Glucomannan–Polyacrylamide Blend Films, 882
**Xie, Z.** See Li, W., 1100
**Xu, H.-J.** See Zhang, W., 2814
**Xu, S. A.** See Tjong, S. C., 3231
**Xuan, T.** See Lihong, S., 3268
**Xuan, Y.**
—; Gao, Y.; Huang, Y.; Jian, X.: Synthesis and Characterization of Novel Poly(aryl ether ketone ketone)s Containing the o-Dibenzobene Moiety, 1487
**Xue, F.** See Pan, Y., 2843
**Xue, Y.** See Chang, L.-C., 2027

**Yamada, G.** See Koda, S., 2089
**Yamada, K.**
—; Gondo, T.; Hirata, M.: Application of DMAEMA-Grafted Expanded PTFE Films to Positively Charged Ultrafiltration Membranes and Their Electrostatic Sieve Separation Properties, 1595
**Yamada, M.** See Akimoto, H., 1712; Okada, M., 2721
**Yamaguch, S.** See Low, I. M., 931
**Yamamoto, T.** See Harada, O., 2433
**Yamashita, Y.** See Matsumoto, A., 1187
**Yan, D.** See Huang, M.-R., 1838
**Yan, F.** See Qi, C., 2964
**Yan, H.** See Carr, W. W., 2399; Hon, D. N.-S., 2649
**Yang, A.**
—; Sun, K.; Wu, R.; Zhu, P.; He, G.: Thermal Analysis and Miscibility of Chitin/Polycaprolactone Blends, 3117
**Yang, B.** See Katritzky, A. R., 85
**Yang, C. Q.**
—; Gu, X.: Polymerization of Maleic Acid and Itaconic Acid Studied by FT-Raman Spectroscopy, 223
—; See Mao, Z., 2142
**Yang, G.**
—; Zhang, L.; Han, H.; Zhou, J.: Cellulose/Casein Blend Membranes from NaOH/Urea Solution, 3260
**Yang, I.-M.** See Park, H.-S., 1614
**Yang, J.-M.** See Lee, R.-S., 1581
**Yang, L.**
—; Zhang, L.; Liu, G.; Gao, J.; Yang, M.; Jin, R.: Synthesis and Thermal Analysis of Emulsion Terpolymers of *N*-Phenylmaleimide, Methyl Methacrylate, and Acrylonitrile, 2455
**Yang, M.** See Yang, L., 2455
**Yang, R.**
—; Li, G.; Wang, K.: Characterization of Structure of Comblike Polymer by Pyrolysis Gas Chromatography and Fourier Transform Infrared Spectroscopy, 359
**Yang, X.** See Chang, X., 2656
**Yang, Y.** See Yang, Z., 1793
**Yang, Y.-L.** See Huang, M.-R., 1838; Li, X.-G., 3107
**Yang, Y.-Y.** See Bai, X.-L., 3083
**Yang, Z.**
—; Yang, Y.: Synthesis, Characterization, and Adsorption Properties of Chitosan Azacrown Ethers Bearing Hydroxyl Group, 1793
**Yao, J.** See Katritzky, A. R., 85
**Yao, K.** See Yuan, X., 251
**Yasuda, H.** See Ohta, Y., 312
**Yavuz, H.** See Arica, M. Y., 2702
**Yazicigil, Z.** See Ersöz, M., 421
**Ye, L.** See Liu, J., 2408
**Ye, Y.-F.** See Zhang, W., 2814
**Yeh, J.-T.**
—; Chen, C.-H.; Shyu, W.-D.: Gasoline Permeation Resistance of the As-Blow-Molded and Annealed Polyethylene, Polyethylene/Polyamide, and Polyethylene/Modified Polyamide Bottles, 2827
**Yi, S.-C.** See Kim, B.-K., 2102
**Yi, X.** See Gao, C., 3523
**Yin, J.** See Zhang, W., 2814
**Yip, C. W.** See Li, W., 333
**Yoon, H. G.** See Kim, W. G., 2711
**Yoon, W. S.** See Lyoo, W. S., 1297, 3471
**Yoshida, M.**
—; Fan, X.; Uemura, Y.; Hatate, Y.: Electrooptical-Responsive Microsphere with Ferroelectric Liquid Crystalline Segments, 2490
**Yoshii, F.** See Wach, R. A., 3030
**Yoshii, H.** See Kimura, I., 675
**Yow, B. N.** See Mohd. Ishak, Z. A., 742
**Yu, H.-P.** See Zhong, J.-P., 1305
**Yuan, H.**
—; Hu, P.: Study of a Compatibilized Ultra-High-Molecular-Weight Polyethylene and Polyurethane Blend, 3290
**Yuan, W.-K.** See Cao, G.-P., 2068
**Yuan, X.**
—; Mak, A. F. T.; Kwok, K. W.; Yung, B. K. O.; Yao, K.: Characterization of Poly(L-lactic acid) Fibers Produced by Melt Spinning, 251
**Yung, B. K. O.** See Yuan, X., 251

**Zaikov, G.** See Makitra, R., 3133
**Zaikov, G. E.** See Kabal'nova, N. N., 875
**Zakaria, S.** See Badri, K. H., 384
**Zaman, K.** See Ratnam, C. T., 1914, 1926
**Zemek, J.** See Biederman, H., 1341
**Zeng, H.** See Mai, K., 2679; Tang, S., 1985; Wang, K., 78
**Zhang, B.** See Zhi, J., 2210
**Zhang, J.** See Katritzky, A. R., 85; Rajulu, A. V., 557
**Zhang, L.**
—; Huang, J.: Effects of Hard-Segment Compositions on Properties of Polyurethane–Nitrolignin Films, 3251
—; See Gao, S., 2076; Xiao, C., 1049; Yang, G., 3260; Yang, L., 2455
**Zhang, L. L.** See Xiao, C., 882
**Zhang, M.-H.** See Cao, G.-P., 2068
**Zhang, P. Y.** See Wang, L., 3186

**Zhang, Q.**
—; Lu, J.; Saito, F.; Baron, M.: Mechanochemical Solid-Phase Reaction between Polyvinylidene Fluoride and Sodium Hydroxide, 2249
**Zhang, S. X.** See Chakravarti, S., 1451
**Zhang, W.**
—; Leonov, A. I.: IGC Study of Filler–Filler and Filler–Rubber Interactions in Silica-Filled Compounds, 2517
—; Xu, H.-J.; Yin, J.; Guo, X.-X.; Ye, Y.-F.; Fang, J.-H.; Sui, Y.; Zhu, Z.-K.; Wang, Z.-G.: Preparation and Properties of Organosoluble, Colorless, and High-Pretilt-Angle Polyimides Based on an Alicyclic Dianhydride and Long-Main-Chain Alkyl-Group-Containing Diamines, 2814
**Zhang, W.-C.** See Li, W., 333
**Zhang, X.**
—; Chen, Y.; Zhang, Y.; Peng, Z.; Zhang, Y.; Zhou, W.: Effects of ABS-*g*-MAH on Mechanical Properties and Compatibility of ABS/PC Alloy, 831
—; Tanaka, H.: Influence of Retention System and Curing on Paper Wet Strength Improvement by a Copolymer Containing Glycidyl Groups, 2791
—; See Li, X., 3002
**Zhang, Y.**
—; Chen, X.-Z.; Zhang, Y.; Zhang, Y.-X.: Preparation of Epoxidized Rubber Using a Reactive Processing Technique. I. Synthesis and Characterization of Epoxidized Polybutadiene Rubber, 2987
—; See Fan, R., 710; Zhang, X., 831; Zhang, Y., 2987
**Zhang, Y.-X.** See Zhang, Y., 2987
**Zhang, Z.** See Chen, X., 2696
**Zhang, Z. Q.** See Liu, L., 2764
**Zhao, J.**
—; Sun, J.; Zhou, Q.; Pan, Z.: Modeling of Particle Growth and Morphology in the Gas Phase Polymerization of Butadiene. II. Simulation and Discussion, 730
—; Sun, J.; Zhou, Q.; Pan, Z.: Modeling of Particle Growth and Morphology in the Gas Phase Polymerization of Butadiene. I. Model and Its Solution Method, 719
**Zhao, Q.** See Jin, J., 350
**Zhao, R.**
—; Cheng, S.; Shun, Y.; Huang, Y.: Preparation of Chlorosulfonated Polyethylene by the Gas-Solid Method, 3582
**Zhao, Y.** See Morin, D., 1683
**Zheng, X.** See Qi, C., 2964
**Zheng, Z.-H.** See Li, W., 333
**Zhi, J.**
—; Zhang, B.; Wu, Y.; Feng, Z.: Study on a Series of Main-Chain Liquid–Crystalline Ionomers Containing Sulfonate Groups, 2210
**Zhong, H.** See Chen, X., 2696
**Zhong, J.-P.**
—; Li, S.-D.; Yu, H.-P.; Wei, Y.-C.; Peng, Z.; Qu, J.-L.; Guo, C.-K.: Thermooxidative Decomposition and Its Kinetics on Chlorinated Natural Rubber from Latex, 1305
**Zhong, Z. K.**
—; Sun, X. S.: Thermal and Mechanical Properties and Water Absorption of Sodium Dodecyl Sulfate-Modified Soy Protein (11S), 166
**Zhou, F.**
—; Guptam, S. K.; Ray, A. K.: Modeling of the Sheet-Molding Process for Poly(methyl methacrylate), 1951
**Zhou, G. H.** See Qian, J. W., 2798
**Zhou, J.** See Yang, G., 3260
**Zhou, M. H.**
—; Ha, C.-S.; Cho, W.-J.: Synthesis and Properties of High Oil-Absorptive Network Polymer 4-*tert*-Butylstyrene–SBR–Divinylbenzene, 1277
**Zhou, Q.** See Zhao, J., 719, 730
**Zhou, W.** See Zhang, X., 831
**Zhu, H.** See Feldman, D., 861
**Zhu, P.** See Yang, A., 3117
**Zhu, Y.** See Shi, G., 116
**Zhu, Z.**
—; Zhuo, R.: Controlled Release of Carboxylic-Containing Herbicides by Starch-*g*-poly(butyl acrylate), 1535
**Zhu, Z.-K.** See Zhang, W., 2814
**Zhu, Z.-N.** See Cao, G.-P., 2068
**Zhuo, R.** See Zhu, Z., 1535
**Zikan, M. C.** See Ruiz, M., 153
**Zlatanic, A.** See Markovic, S., 1902

# Journal of Applied Polymer Science

# Subject Index—Volume 81


AB crosslinked polymers, 813
Aberrations, 1662
ABS, 831, 1316, 1731, 2661, 3462
ABS polymers, 924
ABS-*g*-MAH alloy, 831
Absorbency, 85
Acetalization, 1182
Acetonitrile, 116
Acetylene containing polymer, 3371
Acid, 1226
Acid–base interaction, 2843
Acid-catalyzed dehydration, 1014
Acidolytic cleavage, 3399
Acids, 875
Acoustic emission, 1848, 3280
Acrylamide, 1526
Acrylic, 2109
Acrylic acid, 2993
Acrylic latex, 128
Acrylonitrile, 2324
Acrylonitrile (AN)–polyethylene glycol, 1410
Activated carbon fabrics, 1090
Activation energy, 1216, 1474, 1748, 2500, 2633
Acylamide, 1238
Addition-cure resins, 3371
Additive, 1868
Additives, 3439
Adherence, 1848
Adhesion, 701
Adhesion improvement, 1266
Adhesion properties, 1258
Adhesive, 3321
Adiabatic compressibility, 2089
Adsorption, 197, 2324
Adsorption properties, 1793
Affinity, 1075
Affinity purification of trypsin, 1175
Agglomerate, 2517
Agglomerates, 931
Agglomeration, 2531
Aging investigation on UV radiation, 3244
ALCELL lignin, 1333
Alcohol addition, 3008
Alicyclic, 2814
Alicyclic groups, 1014
Alignment film, 2814
Alkali soluble, 3260
Alkaline hydrolysis, 1467
$Al(OH)_3$, 2679
$\alpha,\omega$-Di(4-aminophenoxyl)alkanes, 2814
Aluminum, 675
Aluminum substrate, 1848
Amidoxime, 2324
Aminolysis, 1467
Ammonium persulfate, 1401
Amphiphilic polymer, 333, 3056
Amphoteric starch, 2849
AN, 2455
Aniline, 468, 3002
Anionic surfactant, 1691
Annealing, 340, 2827, 3349, 3502
*Antheraea pernyi* silk fibroin, 2271
Antibacterial activity, 2769
Antifungal, 3413
Antimicrobial, 943, 1517, 3413
Antimicrobial packaging, 609
Antimicrobial polymer, 609
Antiozonants, 237
a-PP-SA, 625
Aprotinin immobilization, 1175
Aramid fiber–epoxy composites, 2764
Asymmetric membranes, 1768
Atacticity, 229
Atom transfer radical polymerization, 3514
Automotive resin, 1549
Avrami equation, 23
Azobenzene, 2923
Azobenzene moiety, 3056
2;2′-Azobisisobutyronitrile, 1401
2;2′-Azobis(2-methyl-propionamidine) dihydrochloride, 1401

Bacterial attachment, 3425
Bark extracts, 1634
Barrier properties, 53
Batch, 1691
Benzoxazine, 1021
Biocompatibility, 2203
Biodegradability, 637
Biodegradability solubilization, 3413
Biodegradable blends, 762
Biodegradable copolymers, 2118
Biodegradable fibers, 251
Biodegradable material, 2076
Biodegradable polymer, 2721
Biodegradation, 1115, 3030
Biofilm formation, 3425
Biological environment, 2419
Biomedical films, 2433
Bionolle, 1624
Biostability, 2203
Biphenyl epoxy resin, 2711
Birefringence, 215
2-Bisbenzothiazole-2,2′-disulfide, 2565, 2587
Biscarbonohydrazones, 3204
Bis(cyclic carbonate), 2735
Bis(diisopropyl) thiophosphoryl disulfide (DIPDIS), 800
Bis(esterdiamide), 1372
Bismaleimide, 38, 2918
Bismaleimide (BMI), 1248
Bismaleimide resin, 350
Bismaleimide resin modification, 2352
3,6-Bis(methoxymethyl) durene, 3388
Bisphenol A, 2687
Blackglas™, 143
Blend, 1, 47, 1021, 3260
Blend film, 882
Blend films, 1049
Blends, 53, 557, 562, 570, 782, 901, 1161, 1731, 1991, 2136, 2151, 2161, 2556, 3117
Block copolymers, 1891
Blood compatibility, 1322
BMI-modified siliconized epoxy resin, 2330
Bornylmethacrylate, 1014
Boron trifluoride diethyl etherate, 2001
Bottles, 91
Bound antioxidant, 2183
Bovine serum albumin, 3327
BR, 237
Branch, 359
Branching, 1588
Branching and rheology, 58
Bridged catalyst, 1451
BR/NBR blends, 3198

Bromoform, 1429
Bubble nucleation, 1388
Burning rate, 3204
Butadiene, 719, 730
Butanetetracarboxylic acid, 654
Butyl methacrylate, 3244
Butyl methacrylate–styrene copolymer, 2615

$CaCO_3$ filler, 1858
Carbohydrate oligomers, 1634
Carbon black, 104, 1100
Carbon black filled polymer blends, 562
Carbon black structure, 562
Carbon dioxide, 936, 1090, 2161, 2735
Carboxylic-containing herbicide, 1535
3-Carboxylmethylcyclopentane-1,2,4-tricarboxylic acid dianhydride, 2814
Carboxymethyl starch, 2036
Carboxymethylcellulose, 3030
Carpet, 3178
Casein, 3260
Catalyst, 460
Catalytic concentration, 1182
Cationic monomer, 1827
Cationic peptide, 609
Cationic polymer, poly(allyltrimethyl ammonium chloride-*co*-acrylamide) P(TM-*co*-AAm)], 2013
Cationic polymerization, 2001
Celgard, 1624
Cell adhesion, 2433
Cellular materials, 486
Cellulose, 809, 2142, 2287, 3260
Cellulose acetate, 2084
Cellulose acetate membrane, 1341
Cellulose acetates, 1768
Cellulose diacetate, 243
Cellulose furoate, 2649
Ceric-ion-induced solution polymerization, 3296
Chain folding, 1675
Chain orientation, 1683
Characterization, 2609, 2754
Charge transfer complex radical polymerization, 3327
Chemical copolymerization, 1410
Chemical modification, 3338
Chemical resistance, 3244
Chitin, 3117
Chitosan, 153, 875, 1700, 1793, 2769
Chlorinated natural rubber, 1305
Chlorinated paraffin wax, 2183
Chlorinated polyethylene, 3582
Chlorinated polyethylene (CPE), 3022
Chlorinated starch, 2197
Chlorination, 943
Chlorofluorocarbon, 116
Chloroplatinic acid, 754
Chlorosilane, 754
Chlorosulfonated polyethylene, 3582
Chlorosulfonation, 3582
Chlorosulfonic acid, 1572
CHT curing diagrams, 3220
CHT diagram, 2821
Cis–trans isomerization, 2923
Citrate esters, 243
Clay, 512, 1786
Clearcoat, 1549
$^{13}C$-NMR, 312
$CO_2$-fixed polymer, 2744
Coating, 1000, 2786
Cobalt acetylacetonate, 2287
Co-crystallization, 2227
Coefficients of thermal expansion, 1742
Co(II) stearate, 2936
Cold-plasma–induced surface modification, 3425
Collagen, 2433
Column depth, 153
Comblike polymer, 359
Combustion characteristics, 206
Comonomer effect, 229
Comonomers, 1675
Compatibility, 831, 1056, 3231
Compatibilization, 121, 570, 901, 2377, 2972, 3290
Compatibilizer, 11, 782, 1731
Compatibilizers, 1972
Complex, 2368
Complex material, 809
Compliance, 1142
Composite, 2661, 3178, 3290
Composite membrane, 546
Composites, 742, 1063, 1498, 2265, 2918
Composition gradients, 3085
Compression, 2563
Compression molding, 3124
Compressive strength, 384, 405, 486
Conducting polyaniline, 1382
Conductive plastics, 104
Conductive textiles, 684
Cone calorimeter test, 206
Confocal microscopy, 1662
Conformation, 2271, 3008
Constitutive equations, 3309
Constitutive law, 991
Continuous distribution kinetics, 1996
Continuous vibrating zone-drawing, 600
Controlled release, 1535
Conventional LLDPE, 53
Cooling, 2573
Copoly(arylene ether ketone), 2687
Copolyester, 3405
Copolyetheresteramide, 1372
Copolyetheresteramides, 1605
Copolyimides, 3552
Copolymer, 701, 2556, 3002
Copolymer composition profile, 1258
Copolymerization, 96, 1266, 2287, 2626, 3244
Copolymers, 3538
Core/shell particle, 2089
Cornstarch, 3069
Corona discharge, 2881
Corona discharge treatment, 2419
Corrugated containers, 1107
Cotton, 617, 2142
Cotton cellulose, 2649
Cotton cellulose fabrics, 3578
Coupled system, 340
Coupling agent, 1333
Coupling agents, 1439
Covalent bonding, 2702
Crazing, 1316
Creep, 312, 494, 1142
Crosslink structure, 710
Crosslinked latex particles, 1721
Crosslinked resin, 1187
Crosslinked starch, 2480
Crosslinked starch with PCL, 2197
Crosslinking, 58, 591, 637, 1115, 1187, 1721, 1926, 1936, 2045, 2142, 2190, 2791, 3030
Crosslinking activation energy, 646
Crosslinking density, 2500
Crosslinking monomers, 1721
Crosslinking reactions, 186, 1799, 1808
Crystalline phase, 3405
Crystallinity, 2277
Crystallization, 498, 637, 695, 762, 963, 1675, 1683, 2565, 2573, 2587, 2626, 2779, 2972
Crystallization and melting behavior, 2679
Crystallization behavior, 78
Crystallization enhancement, 591
Crystallization kinetics, 23, 267, 1063, 3530, 3545

Curative diffusion, 800
Curative interaction, 2936
Cure, 47, 1881
Cure kinetics, 1474, 2711
Cure-rate mismatch, 800
Curing, 390
Curing agent, 279
Curing behavior, 2803
Curing diagram, 2821
Curing in mold, 889
Curing kinetics, 279
Curing reaction, 1902
$CuSO_4$ solution, 2838
Cyclic acetals, 2875
Cycloaliphatic bornyl units, 3538
Cyclodextrins, 520
Cysteic acid, 1549

Damping, 813
Damping properties, 3198
DCP modification, 2545
DDBA, 2210
Defluorination, 2249
Defunctionalization, 85
Degradation, 58, 121, 809, 2626
Degradation kinetics, 3107
Degree of functionalization, 2036
Degree of grafting, 924
Dendrite crystals, 2838
Density, 486
Dental material, 1291
Depolymerization, 2102, 3565
Dialkyl propanediols, 2754
Diamine, 279
Diaminodiphenylmethane, 2330
Diamond anvil cell, 3565
1,4 : 3,6-Dianhydro-D-glucitol, 2721
Dibutyltin dilaurate, 918
Dibutyltindilaurate, 2330
Dichloro-tribromophenyl phosphate, 793
Dicumyl peroxide, 2587
Dicyclopentadiene (DCPD), 662
Dielectric relaxations, 2786
Diethyl-2,3-dicyano-2,3-di-(*X*-substituted phenyl) succinate, 2964
Differential scanning calorimetry, 3124
Differential scanning calorimetry (DSC), 1474
Diffusion, 494, 2849, 3085
Diffusion of water, 186
1,4-Dihydroxyanthraquinone (DHA), 2246
Dilute solutions, 2277
3-dimensional network, 948
Dimensional stability, 384
Dimer acid, 2696
2-(dimethylamino)ethyl methacrylate, 1595
Dinitrodiamides, 1439
Dinitrodiamines, 1439
DiOHP-doped PANI, 2661
DiOHP-doped POT, 2661
Diol, 3149
Dioxolanes, 2875
Dirt content determination, 957
Dispersant, 1498, 3413
Dispersion stability, 1100
Disproportionation, 1936
Dissolution/reprecipitation, 91
Ditrimethylol propane tetraacrylate, 1936
DMA, 625, 1786
DMAEMA, 3578
Donnan dialysis, 421
Donnan equilibrium, 667
Donor–acceptor polymers, 505
Dose, 1926
Dragonfly, 1549
Draw ratio, 3471
Drawing condition, 600
Droplet size, 128
Drug release, 520
Dry coagulant, 3141
Drying, 1000
DSC, 625
DSC calorimetry, 2936
Ductility, 2972
Durable, 1517
Dwell time, 3141
Dyes, 3238
Dynamic adsorption behaviors, 2849
Dynamic cure, 2531
Dynamic laser light scattering, 1670
Dynamic mechanical analysis, 1902, 2500
Dynamic mechanical properties, 1, 1808, 2471
Dynamic mechanical property, 710
Dynamic properties, 1439
Dynamical–mechanical analysis, 3272
Dynamic-mechanical properties, 2027

Earthquake bearing, 837
Elastic modulus, 364
Elastomer, 523
Elastomers, 215, 3530
Elasto-viscoplastic, 1000
Electrical and rheological properties, 562
Electrical conductivity, 2102
Electroconductive polymers, 1498
Electroinduced copolymerization, 1410
Electroinduced polymerization, 1526
Electron beam, 530
Electron spin resonance, 1187
Electron-beam irradiation, 1936
Electrooptical response, 2490
Electropolymerized coatings, 1493
Elongation, 453
Empty fruit bunch fiber, 1333
Emulsifier, 3413
Emulsion, 3462
Emulsion blends, 2109
Emulsion polymerization, 2455
Emulsions, 1817
Encapsulation, 675, 1535
Endothelial cell, 3523
Engineering plastics, 1487
Enrichment–separation, 2656
Entrap-immobilization, 2084
Enzymatic degradation, 2721
Enzyme catalyzed copolymerization, 2408
Enzyme electrodes, 1341
Enzyme immobilization, 2702
EPDM, 1063
Epoxidation, 2987
Epoxides, 2868
Epoxy, 279, 479, 530, 931, 1868, 2347
Epoxy molding compound, 2253
Epoxy resin, 38, 128, 1161
Epoxy resins, 390
Epoxy–urethane copolymers, 889
Epoxy/amine thermosetting system, 396
EPR spectroscopy, 2936
Equilibrium melting temperature, 229
Ester linkage, 654
Esterification, 2142
Etherification, 2868
Ethoxylated maleinized-silylated guayule rubber, 754
Ethyl methacrylate, 3244
Ethylene, 285
Ethylene homopolymerization, 2901
Ethylene polymerization, 3186
Ethylene propylene diene rubber/polypropylene (EPDM/PP), 2531
Ethylene–propylene rubber, 695
Ethylene-based Ionomers, 1712
Ethylene-vinyl acetate, 1936

Ethylene/1-hexene copolymerization, 1451
EVA copolymer, 2798
Extenders, 1605
Extremely dilute solution, 1481

Fabric, 943
Fabrics, 3578
Facilitated transport, 936
Fast transient fluorescence, 3161
Fatigue, 47
6FDA-based polyimide, 3552
Ferrocenium salt, 2368
Ferroelectric liquid crystalline monomer, 2490
Fiber, 2084
Fiber containing iso-thiourea group, 1985
Fiber recycling, 1107
Fiber reinforcement, 1972
Fibers, 3349
Field flow fractionation, 1588
Filled polypropylene, 2298
Filler, 2517
Filler distribution, 3198
Filler polarity, 3198
Films, 53
Fingering instability, 1817
Finite element analysis, 837
Fish oil, 2001
Fixed-bed column, 153
Flame-retardant finish, 793
Flame-retardant polymer, 1125
Flammability, 785
Flocculation, 1776
Flory–Huggins theory, 11
Flow parameters, 2277
Flow velocity, 153
Fluidized-bed reactor, 321
Fluorescence, 785
Fluorescent side-group copolymers, 2463
Fluoro-polyimides, 3552
Foam, 2443
Foaming, 3413
Food-borne micro-organisms, 609
Forced gas sweeping process, 1388
Fox equation, 1021, 2161
Fracture energy, 350
Fracture toughness, 1420, 2352
Fragmentation, 285
Free radical polymerization, 223
Free volume, 2500
Free volume distribution, 2102
Freezing, 3008
Friction material, 364
Friedman equation, 479
FTIR, 359
FTIR spectroscopy, 918, 2142, 2791
FT-Raman spectroscopy, 223
Fullerene, 1286
Functionalization, 1266, 2923
Functionalized polypropylene, 2679
Fusion percolation threshold, 3022
Fusion time, 3022

Gamma radiation, 1207
γ-APS, 2330
γ-irradiation, 849
γ-Irradiation, 2670
GAP, 918
Gas phase, 1193, 1451, 3085
Gas phase polymerization, 719, 730
Gas separation, 936
Gas transport properties, 3552
Gasoline permeation resistance, 2827
Gas-solid method, 3582
Gel, 2609
Gel content, 186
Gel fraction, 1936
Gel point, 646
Gel polymer electrolyte, 948
Gelatinization, 3069
Gelatinized starch, 1507
Gelation activation energy, 3161
Gel/dye complex, 3238
Gel-point, 2621
Gels, 2838
Genipin, 1700
Glass bead, 3231
Glass fabric reinforced matrix composite, 1248
Glass fiber, 701
Glass fibers, 405
Glass transition, 2786
Glass transition temperature, 2027, 2330, 2471
Glass-transition temperature, 11, 38, 396, 486, 2253
Glassy polymers, 3309
Glucoamylase, 2702
Glycerin content, 1507
Glycidyl azide polymer, 918
Glycidyl groups, 2791
Glycidyl methacrylate, 96, 581
Gold, 1985, 2656
Graft copolymerization, 428, 468, 1100, 2633
Graft copolymers, 1776
Graft polymerization, 2433, 2993
Grafted copolymer, 2377
Grafted GMA content, 1507
Grafted polyamide fabric, 2318
Grafting, 591, 617, 849, 1266, 1517, 1972, 2287, 3439, 3462, 3578
Grafting reactions, 1799, 1808
Grinding, 2249
Guayule rubber, 754

Halogen-free flame retardation, 206
Haloorganics, 1429
Hardner, 2347
Hardness, 47, 931
Hard-segment compositions, 3251
HDPE, 1991
Heat build-up, 1439
Heat of curing, 390
Heat of polymerization, 2929
Heat resistance materials, 1248
Heat treatment, 2271
Heat-distortion temperature, 2330
Heavy-metal removal, 197
Heterogeneous and homogeneous systems, 2649
Heterogeneous nucleation, 78
High *cis*-butadiene rubber, 2987
High magnetic property chitosan particles, 1175
High pressure, 3044
High wet-strength, 2433
High-char polymer, 3371
High-density polyethylene, 581, 2377
High-functionality polyester, 384
$H^1$-NMR, 3149
Hollow fiber, 908, 2170
Hollow-fiber membrane, 1643
Homogeneous nucleation, 78
Homogenize, 128
Homopolymer, 2633, 3296
Hot melt adhesive, 2696
Hot-melt extrusion, 3124
HRPGC, 359
Humidity sensor, 1382
Hydantoin containing, 617
Hydrocarbon components, 2827
Hydrocarbon solvent, 3044
Hydrogel, 1444, 2190, 3378
Hydrogel, overshooting, 2-hydroxyethyl methacrylate-*co*-sodium acrylate copolymeric gel, 1360
Hydrogels, 2888, 3030
Hydrogen bond, 882, 2929
Hydrogen bonding, 1021, 3251
Hydrogen bonds, 1049
Hydrogen donor, 1996
Hydrogen peroxide, 875
Hydrogen-bonded polymers, 494

Hydrogen-bonding interaction, 901
Hydrolysis, 1768
Hydrolytic degradation, 2118
Hydrophobic hydrocortisone, 520
Hydroquinone, 2687
Hydrothermal age, 2253
2-Hydroxyethyl methacrylate, 1401, 2881, 2888
Hydroxyl azacrown ether, 1793
Hydroxyolefins, 1266
Hydroxypropyl guar gum, 1776
Hydroxy-terminated polybutadiene (HTPB), 453
Hygrothermal aging, 742
Hypergolic fuels, 3204

ICP–OES, 2656
Immersion speed, 3141
Immiscible blends, 104
Immiscible polymer blends, 562
Immobilized chymotrypsin, 2013
Impact, 1762
Impact fracture behavior, 1712
Impact polypropylene, 3085
Impact resistance, 3272
Impregnate, 1567
Imprinting, 1075
*In vitro* release, 2118
Inactive end groups, 1748
Infrared dichroism, 215
Inherent viscosity, 2696
Iniferter, 2237
Initial polymer concentration, 1297
Initiator, 2964
Intensity–intensity time correlation, 1670
Interaction, 2517
Interactions, 1634
Interfacial activity, 625
Interfacial adhesion, 2764, 3178
Interfacial modifier, 625
Interfacial tension, 3413
Interpenetrating polymer networks, 2324, 2439
Interpenetrating polymer networks (IPNs), 530, 3361
Interphase, 2439
Interpolymer complex, 2013
Intumescence, 1125
Inverse gas chromatography (IGC), 2517
Inverse relaxation, 2563
Inverse suspension polymerization, 1827
Invertase, 2084
Ion exchange membranes, 421
Ionic conductivity, 948, 2471
Ionic transport, 494
Ionomers, 1481, 1572
IPN-systems, 2615
iPP–EPR copolymer, 267
IR spectroscopy, 2936
IR spectrum, 3107
Irradiation, 1914, 1926, 2609, 3030
Irradiation induced crosslinking, 1914
Isoconversional method, 1474
Isocyanate, 918
Isocyanate group, 1056
Isomer ratio, 2964
Isotactic polypropylene fiber, 600
Isothermal physical aging, 396
Itaconic acid, 223, 3439
Izod test, 1420

Junction properties, 2127

Kerosene, 3169
Kinetic, 2055
Kinetic study, 1451, 2901
Kinetics, 918, 1305, 1748, 3149, 3186
Kinetics by $^1$H NMR, 3327
Kinetics model, 2068
Kinetics of disorientation, 3124
Kissinger equation, 479
Konjac glucomannan, 882, 1049

Latent catalyst, 2711
Latent initiator, 2347
Latent property, 646
Latex, 1305
LDPE, 53, 1799, 1808, 2545
Leather, 1634
Leather adhesive, 1567
Level, 1926
Lewis acid : base complex, 908
Lifetimes, 3161
Light resistance, 1277
Light scattering, 1588, 3327
Lightness, 1297
Lignin, 861, 1972, 2408
Lignin–(VC–VAc) copolymer blends, 861
Lignocellulosics, 1333
Limiting oxygen index, 2679
Linear low-density polyethylene/wax blends, 973
Linear viscoelasticity, 924
Lipid phase, 1193
Liquid crystal–polymer blends, 2426
Liquid crystalline microsphere, 2490
Liquid encapsulant, 3449
Liquid molding resins, 69
Liquid pool propylene polymerization, 1035
Living radical polymerization, 2237
Living-radical polymerization, 1286
LLDPE, 1799, 1808, 2545
LLDPE blending, 1891
Long branches, 2227
Long-range parameter (B), 440
Low molecular weight guayule rubber, 754
Low temperature, 3338
Low-density polyethylene, 1936
Low-density polyethylene film, 2881
Low-density polyethylene (LDPE), 591
Low-level waste, 1207
LSCM, 1662
Lyotropic, 2210
Lysozyme, 3378

Macromolecular orientation, 3124
Macroscopic crystalline chain orientation, 1683
Macrovoid, 3481
Magnesium ethyl carbonate, 460
Magnesium hydroxide, 206
Magnetic properties, 1353
Magnetic tapes, 1142
Main-chain liquid–crystalline ionomer, 2210
Main-chain polymers, 505
Maleated natural rubber, cassava starch, 2803
Maleic acid, 223
Maleinized guayule rubber, 754
Maleinized-silylated guayule rubber, 754
Marking films, 3212
Mass transfer–reaction model, 1388
Mathematical modeling, 285
Mechanical and thermal properties, 2670
Mechanical damping, 2439
Mechanical properties, 121, 166, 412, 523, 600, 762, 813, 837, 973, 1049, 1297, 1881, 2868, 3069, 3251
Mechanical property, 948, 2076, 2253, 2764
Mechanical relaxation, 546, 3338
Mechanical/thermal properties, 143
Mechanism and kinetic model, 2387
Mechanochemical reaction, 2249
Melamine, 1549
Melamine salt, 1654

Melamine substitute, 1654
Melamine urea formaldehyde resin, 1654
Melamine–formaldehyde (HSMF) resins, 3268
Melamine–urea–formaldehyde resins, 2821
Melt extrusion, 2944
Melt polycondensation, 1388
Melt processing, 243
Melt spinning, 251, 2305
Melt-free radical grafting, 581
Melting behavior, 3545
Melting characteristics, 78
Membrane, 134, 3260
Membrane formation, 908
Membrane performance, 1768
Membranes, 849, 1207, 2550
Metal, 421
Metal ion, 2849
Metal ions, 1310, 1793
Metal separation, 849
Metallocene, 285
Metallocene catalyst, 1193, 1451, 2901, 3186
Metallocene LLDPE, 53
Metalloporphyrin, 3038
Methacrylamide, 1401
Methacrylate, 530
Methanolysis, 2102
Methyl beta cyclodextrin (MCD), 520
Methyl methacrylate, 428, 1401, 2237
$MgCl_2$-supported Ziegler-Natta catalyst, 1035
Mica, 215
Microballoons, 405
Microbond method, 2764
Microelectronic devices, 3449
Microfiltration, 2550
Microgel, 2109
Microgelation, 1187
Microheterogeneity, 1187
Microlayer coextrusion, 1624
Microphase separation, 3251
Microscopy, 2480
Microspheres, 333, 1700, 2702
Microstructure, 1084
Micro-thermal analysis, 2136
Migration, 237
Miniemulsion, 128, 1691
Miniemulsion copolymerization, 1721
Miscibility, 11, 557, 762, 882, 2076, 2161, 2556, 2843, 3117, 3190, 3260
Miscible blends, 1683
MMA, 2455
Modeling, 321, 719, 1226, 1951, 3149
Modification with toluene diisocyanate, 2062
Modified epoxy, 889
Modified polyamide, 2827
Modulated differential scanning calorimetry, 2779
Modulated DSC, 2439
Moisture, 494
Moisture absorption, 1742
Molar volume, 3133
Molecular imprinting, 3378
Molecular recognition, 3378
Molecular structure analysis, 2929
Molecular weight, 1035, 1226, 3008
Molecules, 370
Monomer sorption, 1193
Monoperoxy phthalic acid, 2987
Monosubstituted starch with PCL, 2197
Montmorillonite, 512, 1742
Mooney–Rivlin material, 837
Morphology, 350, 412, 719, 730, 1731, 1936, 2227, 2531, 3008, 3085, 3489
Morphology of IPN, 2615
$MoS_2$, 2426
Mouthguard, 1762

Nanocomposites, 1742, 1786
Nanofibrils, 3002
1,8-naphthalene copolymer, 1675
1,8-naphthalimide, 2463
Natural fibers, 1972
Natural rubber, 428, 710, 957
Natural rubber aging resistance, 2183
Naturally occurring crosslinker, 1700
*N*-benzylpyrazinium hexafluoroantimonate, 646
*n*-butyl methacrylate, 1721
*n*-Butyl methacrylate, 2068
Necking, 2170
Nematic–isotropic transition temperature, 2744
Network, 2517
Networks, 2587
*N*-halamine, 943
N-halamines, 1517
Nicalon, 143
Nitrile–phenolic adhesive, 2597
Nitrokonjac glucomannan, 2076
Nitrolignin, 3251
Nitropropyl(meth)acrylate, 2929
NMR, 143
NMR spectroscopy, 1654
NMR spectrum, 3107
N—N–bonded resins, 3204
Nonionic surfactant, 1691
Nonlinear optical polymers, 505
Nonmulberry silk fibroin, 2633
Nonsolvent additive, 1643
Novolac resins, 1902
*N*-phenyl-maleimide, 3244
2-*N*-(phthalimido)ethyl methacrylate, 96
NR, 237
NR–EPDM blend, 800
Nuclear magnetic resonance, 261
Nuclear magnetic resonance spectra, 1838
Nucleated PP, 78
*N*-vinyl pyrrolidone, 2287
Nylon, 943
Nylon 6, 684, 3349
Nylon-6, 1226
Nylon (PA 6), 2426
*N*-(2-hydroxypropyl) methacrylamide, 3056
*N*-(4-bromophenyl)maleimide, 3244
*N*-(4-chlorophenyl)maleimide, 3244

Ogden function, 837
Oil-absorptive network, 1277
Oligoesters, 243
Organic dyes, 3238
Organic peroxide, 637
Organic solvents, 3133
Organic toxicants, 512
Organic–inorganic hybrid, 2471
Organogels, 3238
Orientation, 215
Oriented crystallization, 2305
Ostwald ripening, 2856
Oxidative destruction, 875
Oxidative polymerization, 1838, 3107
Oxidative stability, 143
Oxidized polyethylene (OPE), 3022
Oxygen-containing ligands, 662
Ozawa equation, 479
Ozone, 875

PA6/HIPS/HIPS-g-MA, 782
Paint coating, 1848
Palierne model, 924
Palladium, 153
Paper wet strength, 2791
Papermaking, 2791
Paraffin wax, 2265, 3169
Parameter estimation, 1451
Partex, 1858
Particle growth, 719, 730

Particle morphology, 128
Particle size, 153, 340
Particle–filler interaction, 562
Pattern of functionalization, 2036
PC, 831
PCL, 3117
PEG-like structures, 3425
PEN copolymer, 2754
P(ϵ-caprolactone-*co*-D-lactide), 2118
Perlite-filled polypropylene, 2670
Permeability, 3552
Peroxidase, 2408
Peroxide, 581
Peroxide curing, 2443
Peroxosalts, 468
Pervaporation, 546, 1429
PES and PSF pyrolysis, 2387
PET, 2993, 3405
PET fiber, 1467
PET thermal degradation, 3064
PETG, 3405
PET/PEN blend, 11, 23
Phase behavior, 2642
Phase equilibrium, 3044
Phase inversion, 3481
Phase separation, 350, 695, 889, 3124, 3481
Phase structure, 570
Phase transfer catalyst, 2735
Phase-transfer catalyst, 1248
Phase-transition behavior, 2490
Phenol resin, 2711
Phenolic compounds, 3038
Phenolic polymer, 2408
Phenolic resin, 1084
Phenolic resole resin, 3371
Phenyl ethynyl functional polymer, 3371
Phosphate substitution, 1125
Phosphonic acid ester, 2347
Phosphorus, 3489, 3502
Phosphorus-containing amines, 390
Photoacid generator, 3399
Photoacid generator (PAG), 1014
Photografting, 1595
Photoiniferter, 1286
Photopolymerization, 2368, 3449
Photoresist, 1014, 3399
Photoresists, 3538
Photoresponsible, 3056
pH-sensitive swelling, 667
Phthalazinone, 2687
Physical aging, 2786, 3309
Physical and thermal properties, 1115
Physical properties, 2151
Physicomechanical properties, 3244
Piping material, 991
PI/PSSQ-like, 2500
Plain strain fraction toughness, 38
Plasma, 2203, 2993
Plasma glow discharge, 2769
Plasma polymerization, 1341
Plasma treatment, 684, 1555
Plastic packaging, 3449
Plasticization, 243
Plasticizer, 523, 1881
Plasticizers, 861
Plastics thermal degradation, 3064
Plastified PVC samples, 2419
Plastisols, 1881
Plywood panels, 1654
PM3 Hamiltonian in a MOPAC program, 2929
PMI, 2455
PNLC, 2744
Polarizing microscopy, 557
Poly(1,4-dihydroxyanthraquinone terephthalate) (P-DHA), 2246
Poly(2,5-selenophen-oxo-1,4-phenylen-diselenide-1,4-phenylen-oxo), 2019
Poly(2,5-selenophen-oxo-1,4-phenylen-selenide-1,4-phenylene-oxo), 2019
Polyacrylamide, 882, 1776
Poly(acrylic acid), 936
Poly(acrylic acid) (PAA), 2013
Polyacrylonitrile, 1090
Poly(acrylphenylamidrazone-phenylhydrazide) chelating fiber, 2656
Polyamide 6, 2556
Polyamide 6,6, 3231
Polyamide 12, 963
Poly(An-FAn), 1460
Poly(anhydride), 176
Polyaniline, 684
Poly(aryl ether ketone ketone), 1487
Polyarylureas, 822
Poly(aspartic acid), 85
Poly(BCPOBDA/DMMDA), 1670
Polybutadiene, 2573
Poly(butylene adipate-*co*-succinate), 637, 2443
Poly(butylene succinate) (PBS), 1115
Poly(butylene terephthalate), 981
Poly(butylene terephthalate) copolymers, 3545
Polycaprolactone, 1972
Polycaprolactone-*g*-glycidyl methacrylate, 1507
Polycarbonate, 121, 1021, 2556
Polycarboxylic acid, 2142
Polychelates, 1310
Polycondensation, 2721, 2821
Polydimethylsiloxane, 38, 215
Polydispersity, 370
Polyelectrolyte complex gel, 667
Poly(ϵ-caprolactone), 176
Poly(ester amide), 2721
Polyesteramide, 2696
Poly(ester-anhydride), 176
Polyesters, 3388
Poly(ether ether ketone) (PEEK), 2550
Poly(ether sulfone), 908
Polyetherimide, 350
Polyethylene, 186, 206, 321, 340, 570, 1136, 3133
Polyethylene blends, 2227
Polyethylene fabric, 793
Poly(ethylene glycol), 1581
Poly(ethylene imine), 197
Polyethylene matrix, 2615
Poly(ethylene naphthalate), 2055
Poly(ethylene oxide), 333, 1624, 2471
Poly(ethylene phthalate-*co*-ethylene 2,6-naphthalene dicarboxylate), 2352
Poly(ethylene phthalate-*co*-ethylene 4,4′-biphenyl carboxylate), 2352
Poly(ethylene phthalate-*co*-ethylene terephthalate), 2352
Poly(ethylene terephthalate), 121, 1056, 1388, 1748, 2377, 2769, 2779, 2972, 3064
Poly(ethylene terephthalate) (PET), 91
Polyethylene/cotton blend fabric, 793
Polyethyleneterephthalate, 2102
Polyflavonoid tanning resins, 3220
Polyflavonoids, 1634
Poly(glycidyl methacrylate), 2161
Poly(HEMA-EGDMA), 2702
Polyhydroxamic acid, 2102
Poly(hydroxy)urethane, 2735
Poly(HyP-*co*-PEG), 1581
Polyimide, 773, 1742, 2814
Polyimide (PI), 3481
Polyisoprene, 2565
Poly(itaconic acid), 223
Poly(lactic acid), 3069
Polylactide, 2151
Poly(L-lactic acid), 251
Poly(L-lactide), 762
Poly(maleic acid), 223
Polymer, 2517, 2923, 3124
Polymer composite, 364

Polymer composite materials, 2399
Polymer containing bithiazole, 1353
Polymer degradation, 453, 1996
Polymer engineering, 2399
Polymer for dental use, 1291
Polymer reaction, 2161
Polymer reactor, 1951
Polymer solution, 1996, 2798
Polymeric complexes, 1353
Polymeric dye, 2246
Polymerizable dyes, 2463
Polymerization, 116, 285, 321, 460, 675, 963, 1021, 1388, 1544, 1691
Polymerization kinetics, 1193
Polymers, 1662
Polymethacrylamide, 2102
Poly(meth)acrylate, 3514
Poly(methyl methacrylate), 197, 1951, 2089, 2463, 3190
Poly(*N*-vinyl pyrrolidone), 3327
Poly(*N*-vinylcaprolactam) (PVCa) gels, 2838
Polyolefin, 3178
Polyolefin elastomer, 1991
Poly(organosiloxane), 3272, 3280
Polyoxymethylene, 2944
Polyphenol, 1567
Polyphosphonate, 785
Polypropylene, 104, 229, 695, 701, 742, 1056, 1333, 1731, 2170, 2679, 3044
Polypropylene membrane, 1555
Poly(propylene oxide), 2556
Polypyrrole, 1498, 1544, 2127
Polystyrene, 570, 2463, 2661, 3514, 3565
Poly(styrene), 1310
Poly(styrene-co-4-vinylpyridine), 2843
Polysulfone, 134, 421
Polytetrafluoroethylene, 1595
Polytoluidine, 1838
Polyurethane, 773, 918, 2076, 2786, 3251, 3489, 3502
Polyurethane films, 2045
Polyurethane foam, 2563
Poly(urethane-imide), 773
Poly(urethane methacrylate), 3321
Polyurethane (PU), 1474
Polyurethanes, 1216, 1322, 3361
Poly(vinyl alcohol), 762, 936, 1238, 1444, 2151, 2868
Poly(vinyl butyral), 1182
Poly(vinyl chloride), 991, 2089
Poly(vinyl chloride) (PVC), 3022
Polyvinyl chloride (PVC) sign, 3212
Poly(vinyl chloride)/epoxidized natural rubber blend, 1914
Poly(vinyl pyrrolidone, 1238
Poly(vinyl pyrrolidone), 3190
Polyvinylidene fluoride, 1643
Poly(vinylidene-fluoride-*co*-hexafluoropropylene), 948
Poly(vinylpyrrolidone), 1049
Poly(2-oxo-1,3-oxolane-4-yl) methyl methacrylate, 2161
Poly(2-vinylpyridine), 1493
Poly(4-vinylpyridine), 2609
POM, 2944
Pore size distribution, 1768
Porous polystyrene membrane, 3523
Positive temperature coefficient effect, 104
Positively charged ultrafiltration membrane, 1595
Positron annihilation, 2102
Postyield behavior, 991
Potassium hydroxide, 116
PP, 1, 78, 1063, 1786, 1799, 3530
*p*-Phenylenediamine, 2183
*p*-Phenylenediamine homopolymer, 3107
PP/mica composites, 625
Precision, 957
Precursor film, 1817
Pre-irradiation grafting, 3578
Pressure sensitive adhesion, 1258
Pressure-sensitive adhesives, 3212
Pretreatment, 2517
Prevulcanized natural rubber latex compound, 3141
Proanthocyanidin polymers, 1634
Processing, 58, 412, 1544, 2944
Processing aid, 2298
Properties, 1991
Propyl ester phosphazene, 1161
Propylene polymerization, 1193
Protection, 1762
Protein, 2190
Protein adsorption, 1322
Protein-based superabsorbent hydrogel, 2190
Proton uptake, 1493
PSA, 2109
Pseudohydroxyproline, 1581
PTT fiber, 3471
PUA, 2744
Pullulan, 3124
PVC, 1429, 1881, 1891
PVCa gels, 3238
PVDF, 2249
PVK film, 1297
PVP, 3481
PVT, 267
Py-GC/MS, 2387
Pyrolysis, 143, 1084
Pyrolysis mechanism, 1161
Pyrrole, 3002

Quantitative influences, 2821
Quartz-crystal microbalance sensor, 3378
Quaternization, 813, 2318

Radiation curing, 3321
Radiation yield, 2621
Radiation-grafted membranes, 1572
Radiation-vulcanized natural rubber latex, 3141
Radical polymerization, 2068
Raman microscopy, 1662
Raman spectrometry, 1084, 1090
Ramped-amplitude cross-polarization NMR, 453
Random copolymers, 981
Rayleigh ratio, 1670
Rayon fiber, 468
Reaction, 1021
Reaction conditions, 2036
Reactive blend, 1056
Reactive blending, 2803
Reactive bonding of rubber, 2597
Reactive extrusion, 2377, 2545, 3439
Reactive mixtures, 2556
Reactive polymers, 223
Reactive processing, 2987, 3178
Reactive surfactant, 675
Reactivity ratio, 96
Reactor, 1226
Recycling, 91
Redistribution reactions, 143
Redox adsorption, 1985
Redox catalyst, 2318
Redox fiber, 1985
Redox initiation, 223
Redox polymerization, 1526
Reduced viscosity, 1481
Refractive index, 557
Regenerable antibacterial, 617
Regenerated silk fibroin, 3008
Regime theory, 23
Reinforcement, 215
Relaxation, 1000
Release, 1238
Release promotion, 667
Repeatability, 957
Resilience, 47, 1439
Resin, 1567
Resin film infusion, 2918

Resin parameters' influence, 2821
Resins, 3268
Retention volume, 370
Reverse ATRP, 2237
Reversed micelles, 2408
Reworkable underfill, 1868
Rheological behavior, 1291
Rheological properties, 981, 2480, 2803
Rheology, 1, 1634, 2298
Rice husk, 742
Rigid polyurethane foam, 486, 2027
Ring opening, 2875
Ring substituent, 2964
Ring-opening, 1021
Ring-opening metathesis polymerization (ROMP), 662
Rivlin expansion, 837
Rose Bengal, 2368
Rubber, 1, 837, 1439, 2517
Rubber composition, 237
Rubber polarity, 3198
Rubber vulcanizates, 3169
Rubber-bound intermediate, 800
Rubber-to-metal bonding, 2597
Ruthenium, 2656
Rutile, 1891

SAFT equation of state, 3044
Salt aqueous solution, 3238
Sawdust/recycled-PP composites, 1420
SAXS, 1316
SBR, 237, 2856
SBR-NR composite, 3169
Scanning electron microscopy, 1460
Scanning FTIR, 3085
Schottky diode, 2127
Scission, 1936
Sclerotization, 1549
SEC, 3149
Segmented copolymer, 1372
Segmented copolymers, 498, 1605
Selective separation, 1595
2,5-Selenophen-oxo-1,4-phenylen-diselenide-1,4-phenylen-oxo, 2019
2,5-Selenophen-oxo-1,4-phenylen-selenide-1,4-phenylene-oxo, 2019
Selenophens derivatives, 2019
Self-nucleation, 78, 498
Self-organization, 3056
Self-reinforcing composites, 1136
SEM, 3085
SEM micrograph, 2330
Semiconducting polymers, 822
Semicrystalline, 2687
Semicrystalline polyester resin, 2642
Semiempirical calculations, 1310
Semi-interpenetrating polymer network, 2076
Separation, 1207
Sequential synthesis, 3514
Shear yielding, 1316
Sheet-molding, 1951
Sheet-reactor, 1951
Shelf life, 2711
Short-range parameter (A), 440
Shoulder-to-shoulder, 505
Silane, 701, 2517
Silane coupling agent, 215
Silane grafting reactions, 186
Silica, 215, 2517, 2856
Silicon, 3489, 3502
Silicon oxycarbides, 143
Silicone membrane, 546
Silicone–acrylic resin, 1614
Siliconized epoxy, 38
Siliconized epoxy resin, 2330
Silk grafting, 1401
Silk-fibroin finishing, 1467
Silk-like finishing, 1467
Silylation, 85
Simulation, 321, 730, 3149
Single-site catalyst, 2227
Size exclusion chromatography, 370, 1588
Size of dispersed starch, 1507
Skin-core structures, 3349
Sliding friction and wear, 2426
Slip velocity, 2298
Smoke emission from PET, 3064
Sodium acrylate, 1827
Sodium alginate-*g*-polyacrylamide, 3296
Sodium dodecyl sulfate, 166
Sodium hypophosphite, 654
Sodium propionate, 654
Sol–gel hybrid materials, 512
Sol-gel analysis, 2621
Solid phase extraction, 3038
Solid propellant binders, 3204
Solid-state polycondensation, 2055
Solid-state polymerization, 1748
Solution behavior, 1481
Solutions, 2550
Solvation, 3133
Solvent activation, 460
Solvents, 2642
Sorbent, 3038
Sorbitol, 384
Sorption, 153
Sound velocity, 2089
Soybean oil, 69
Soybean oil monoglyceride, 69
Soybean oil monoglyceride maleates, 69
11S soy protein, 166
Spacer arm, 2702
Spontaneous spreading, 1817
Spreading kinetics, 1817
Stabilizers, 3439
Stacked lamellae, 2944
Standard error, 957
Starch, 1535
Starch graft copolymer, 1535
Starlike polymer-bound $C_{60}$, 1286
Starved feed reactor, 2068
State of cure, 2531
Steam, 1090
Stiffness, 3231
Strain, 1142
Strain energy function, 837
Strain hardening, 2170
Strain-induced crystallization, 3405
Strain-rate sensitivity, 2170
Stratification, 2045
Strength, 3231
Stress, 1000
Stress–strain curves, 2265
Structural heterogeneity, 591
Styrene, 581, 675, 2964
Styrene copolymers, 2062
Styrene–hydrogenated butadiene–styrene, 3231
Styrene–maleic anhydride (SMA), 1683
Styrene-*co*-α-methylstyrene copolymer, 261
Substituted derivatives, 1382
Sulfamethoxazole, 1238
Sulfonate group, 2210
Sulfonated poly(2,6-dimethyl-1,4-phenylene oxide), 134
Sulfonated poly(phenylene oxide), 2843
Sulfonation, 1572, 3268
Superabsorbent, 1444, 1827
Supercritical carbon dioxide, 1107
Supercritical fluid, 2642
Supercritical fluid extraction, 1107
Supercritical methanol, 2102
Supercritical water, 3565
Superplasticizer, 3268
Superstructure, 600
Superweatherable coatings, 1614
Support, 460
Supported catalyst, 285
Surface chemistry, 3425
Surface free energy, 2517
Surface grafting, 2881

Surface hydrophilicity, 1322
Surface modification, 684, 1555, 1858, 1891, 2203, 2856
Surface modified polystyrene, 609
Surface properties, 2419
Surface tension, 2531, 3413
Surface treatment, 1341
Suspension copolymerization, 333
Suspensions, 2480
Swelling, 2190, 3133
Swelling behavior, 1827, 2151, 2888
Swelling measurements, 215
Swelling rate, 1277
Swelling ratio, 546
Syndiotactic polypropylene, 2305
Syntactic foams, 405
Synthesis, 1353, 1487, 1793, 2076, 2696
Synthetic fabrics, 1517
Synthetic sodium aluminum silicate, 2298

Tacticity, 3190
Take-up velocity, 3471
Tanner's law, 1817
Tannin-based adhesives, 3220
Tannins, 1634
TDI, 2062
Technetium 99-m, 1207
TEM, 1316
Temperature, 2517
Temperature and strain-rate effects, 991
Template-synthesis method, 3002
T emulsion polymerization, 1258
Tensile impact test, 1712
Tensile properties, 251, 742, 2587
Tensile strength, 1277
Ternary eutectic melt, 2127
4-*tert*-butylstyrene–SBR–divinylbenzene polymer, 1277
*tert*-Dodecanetiol, 3462
Tetrakis(hydroxymethyl) phosphonium chloride/urea, 793
Tetramethylthiuram disulfide, 2565, 2587
Textile printing, 2399
TG/MS, 2387
Thermal analysis, 2136, 2455, 3117
Thermal behavior, 1291
Thermal conductivity, 364
Thermal cracking, 1996
Thermal crosslinking, 3399
Thermal decomposition, 479, 3565
Thermal degradation, 1161, 2556, 2679
Thermal degradation mechanism, 2246
Thermal effects, 3309
Thermal fractionation, 591, 1808
Thermal interaction, 364
Thermal properties, 166, 773, 981, 2626, 3069
Thermal recyling, 512
Thermal response, 2490
Thermal stability, 279, 390, 785, 1049, 1216, 2330, 3244
Thermal transition, 3489
Thermally induced phase separation, 3523
Thermogravimetric analysis, 773, 1460, 1838
Thermomechanical analysis (TMA), 3220
Thermomechanical properties, 2062
Thermooxidation, 1216
Thermooxidative decomposition, 1305
Thermoplastic composites, 963
Thermoplastic elastomer, 428, 1936, 2531
Thermoplastic polyurethane, 3290
Thermoplastic starch, 412
Thermoplastic starch–sodium alginate blends, 412
Thermoplastics, 1498, 2918
Thermoresponsible, 3056
Thermosets, 2001
Thermostability, 3107, 3538
Thermostimulated current, 2786
Thermotropic, 2210
Thickness, 1762
Three-point flexure test, 1848
Three-site model, 1035
Threshold and driving voltage, 2744
Time dependency, 1035
Time–temperature–transformation diagram, 963
Tissue engineering, 3523
Titanium tetrachloride adduct complexes, 662
Titration, 1493
Titriplex VI, 1526
Toluene diisocyanate, 1333, 3149
Toluene diisocyanate–nitrosophenol adduct, 2597
Toluidine copolymer, 1838
Toughening agent, 2972
Toughness, 570
Transcrystallinity, 1063
Transesterification, 11, 121
Transport, 421
Triblock copolymers, 3514
Triethylene terephthalate, 981
Trimethylolpropane triacrylate, 1914, 1926
Trimethylsilylcellulose, 2277
2,4,6-tris(2-allylphenoxy)-1,3,5-triazine (TAPT), 1248
Trypsin receptor, 1075
TTT curing diagrams, 3220
TTT diagram, 2821

UHMWPE, 3290
Ultrafiltration, 134
Ultrahigh molecular weight polyethylene, 104, 2972
Ultrahigh-strength polyethylene fiber, 312
Ultrasonic disassociation, 2798
Ultrasonic treatment, 2764
Ultrasonic velocity, 557
Underfill, 1868
Underfill encapsulant, 1868
Unfractionated polyimide, 1670
Uniform, 1372, 1605
Unsaturated polyester, 3272
Unsaturated polyester resin, 3280
Unsaturated polyesters, 3388
Uranyl ion, 2324
Urethane, 523
Urethane acrylate, 3149
U-turn geometry, 1675
UV curing, 1858, 3449
UV–radiation, 1858

VACP, 453
Valanis–Landel function, 837
Vascular grafts, 2203
Vickers indentation, 931
Vinyl acetate, 1691
Vinyl ester resin, 2062
Vinyl ether group, 3399
Vinyl monomer, 2633
Vinyl silane, 1429
1-Vinyl-3-(3-sulfopropyl)-imidazolium betaine, 2888
Vinyl-terminated polyurethane, 813
Viscoelastic, 931
Viscoelastic behavior, 646
Viscoelastic materials, 2563
Viscoelasticity, 1142, 1634, 1762, 2443, 3309
Viscosity, 557, 1881, 3169
Viscosity modifier, 3141
Viscosity-average molecular weight, 251
Viscosity-molecular weight constant (K), 440

Void, 1187
Volatile organic compounds, 546
Vulcanizate, 710
Vulcanizates, 2573
Vulcanization, 2565

Water, 3338
Water absorbency, 1827
Water absorption, 166, 742, 2253
Water soluble, 2868
Water vapor transmission, 1624
Waterborne coating, 1100
Waterborne polyurethanes, 1216
Water-insoluble, 2849
Water-retention value, 2633
Water-soluble polyester surfactants, 3413
Wax removal, 1107
WAXD, 312
Wear resistance, 3290
Weatherability test, 1614
Wet cup test, 1624
Wetting, 2856, 3413
Withdrawal speed, 3141
Wood, 3338
Wood adhesives, 1634, 2821
Wood cellulose, 2649
Wood extracts, 1634
Wood flour, 1972
Wrinkle-resistant cotton, 2142

Xerogel, 1827
Xerographic toner, 2399
X-ray diffraction, 340, 1084, 1460, 2277
Xylidine-containing copolymer, 3107

Yield criterion, 991
Yield stress, 2480

Zero ODP, 384
Ziegler–Natta, 3085
Zinc acetyl acetonate, 2972
Zinc dimethyldithiocarbamate, 2587
Zirconium phosphate, 931
Zirconium tetra-*n*-butoxide, 2084
Zone drawing, 1297, 3471